Author Index to Volume 43

References with (A) are abstracts of papers presented at meetings of the Optical Society of America; (T) designates title only; (L) designates Letters to the Editor.

Acquista, Nicolo (see Plyler, Earle K.)—212(L)
—— **and Earle K. Plyler.** Infrared measurements with a cesium iodide prism—917
—— **and Earle K. Plyler.** Spectrometry from 25 to 52$_\mu$ with a CsI prism—333(A)
Adair, Eleanor R. Duration and light-dark ratio of intermittent preadaptation as factors influencing human dark adaptation—22
Adams, Kenneth B. (see Burns, Keivin)—1020
Adel, Arthur. Absorption line width in the infrared spectrum of the ammonia molecule—1053
Adler, Helmut E. (see Brown, John L.)—1147
Adler, Isidore and Joseph M. Axelrod. Multi-wavelength fluorescence spectrometer—769
Agnew, John T. and Richmond B. McQuistan. Experiments concerning infrared diffuse reflectance standards in the range 0.8 to 20.0 microns—823(A), 999
Alpern, Mathew. Metacontrast—648
Alpern, Mathew (see Fry, Glenn A.)—187, 189
Altman, Adelaide (see Sloan, Louise I.)—473
Altman, J. H. (see Perrin, Fred H.)—780
Anderson, Don H. and Oran E. Miller. Silver chloride beam condensing lens system for micro infrared measurements—777
Anderson, James C. and Antonio Quesada. Modified guild method for the inspection of diffraction gratings—335(A)
Apker, L. (see Taft, E.)—81
Apker, L., E. Taft, and J. Dickey. Electron scattering and the photoemission from cesium antimonide—78
Armington, John C. Electrical responses of the light-adapted eye—450
Arnikar, H. J. Reversal to negative Joshi effect by intense irradiation—804(L)
Ashburn, Edward V. Brightness and color of the twilight sky—805(L)
Axelrod, Joseph M. (see Adler, Isidore)—769

Back, Frank G. Large range variable magnification telescope—1195
—— New approach to the evaluation of the performance of photographic lenses—327(A), 685
Bair, Edward J., Paul C. Cross, Thomas L. Dawson, Earl A. Wilson, Jr., and John H. Wise. Kinematically focused concave-grating spectrometer—681
Baker, Howard D. Instantaneous threshold and early dark adaptation—798
Baker, John A. (see Plyler, Earle K.)—822(A)
Baker, Milton R. (see Vallee, Bert L.)—817(A)
Ballard, Stanley S. (see McCarthy, Kathryn A.)—333(A), 822(A)
——, **Lewis S. Combes, and Kathryn A. McCarthy.** Physical properties of crystalline cesium iodide—975
Barnes, George. Automatic recording photographic densitometer—1176
Baskins, Lowell L. and Larry Hamilton. Wind tunnel investigation of the optical transmission characteristics of a supersonic turbulent boundary layer—817(A)
Beck, C. J., D. J. Lovell, and E. O. Hulburt. Atmospheric attenuation at Khartoum, Sudan—405(L)
Beck, Lloyd Henry. Functional interpretation of the Stiles-Crawford effect—924(L)
Beitz, Richard C. High-speed cathode-ray indicating spectrophotometer—773
Bell, Ely E. (see Burgess, J. S.)—1058
—— (see Stroup, Richard E.)—1096
Benedict, W. S., B. W. Bullock, Shirleigh Silverman, A. V. Grosse. Infrared emission of the hydrogen-fluorine (H_2—F_2) flame—1106
Benesch, W., M. Migeotte, and L. Neven. Investigations of atmospheric CO at the Jungfraujoch—1119
Benford, James R. CinemaScope method of wide-angle photography—818(T)
Bennett, F. D. and G. D. Kahl. Generalized vector theory of the Mach-Zehnder interferometer—71
Bennett, G. S. (see Clark, R. J.)—408(L)
Bennett, Jean M. (see Rank, D. H.)—213(L), 707(L), 952
Bentley, George P. (see Engel, Phillip M.)—334(A)
Bernard, W. J. (see Haendler, H. M.)—215(L)
Berning, Jean and Nisson Finkelstein. Some applications of the IBM 604 calculator to routine optical calculations—327(A)
Berning, Peter H. Deductive design method in thin film optics—819(A)
Bernstein, Richard B. (see Voelz, Fred L.)—1061
Billings, D. E. (see Fowler, F. E.)—63(L)
Billmeyer, F. W. Jr., and A. C. Webber. Three-dimensional color models constructed on the CIE and Munsel systems—69
—— (see Webber, A. C.)—1127
Bitter, Francis. Looking into the nucleus—233
Björnerud, E. K. (see Kavanagh, R. W.)—380
Blackwell, H. Richard. Effect of tinted optical media upon visual efficiency at low luminance—815(A)
—— Studies of the form of visual threshold data—456
—— **and O. T. Law, Jr.** Study of white light "photosensitization"—815(A)
—— (see Taylor, John H.)—814(A)
Blaine, L. R. (see Plyler, Earle K.)—822(A)
Blank, Albert A. Luneburg theory of binocular visual space—717
Blout, E. R. and H. Lenormant. Infrared spectroscopy of biologic materials in aqueous solutions—1093
Bode, Donald E. and Henry Levinstein. Photoconductivity of indium selenide—1209
Boerner, R. (see Yoder, P. R., Jr.)—808(L)
Bomke, Hans. Evidence for the nonexistence of a new highly penetrating component of the solar radiation described by M. Takata and T. Murasugi—337(A)
Bosley, David E. (see Heidt, Lawrence J.)—760
Bouman, M. A. Visual thresholds for line-shaped targets—209
—— (see van den Brink, G.)—814(A)
—— **and G. van den Brink.** Absolute thresholds for moving point sources—895
Boyd, Thomas F. (see Nickerson, Dorothy)—163
Bozman, W. R. (see Corliss, C. H.)—329(A), 398
——, **C. H. Corliss, W. F. Meggers, and R. E. Trees.** Intersystem transition in the first spectrum of beryllium—329(A)
Boynton, Robert M. Stray light and the human electroretinogram—442
——, **William R. Bush, and Jay M. Enoch.** Equivalence of direct and indirect adapting stimuli for producing rapid changes in foveal sensitivity—814(A)
Brackett, Frederick S. (see Daniel, John H.)—960
Bradford, A. P. and G. Hass. Anodically produced multiple oxide films for increasing the reflectance of evaporated aluminum—326(A)
Branin, Franklin H., Jr. Bidirectional electronic counter for use in optical interferometry—839
Brehm, Richard K. and Velmer A. Fassel. New approach to direct reading spectrochemical analysis—886

Brewer, Lyle W. (see Hanson, W. T., Jr.)—820(A)
Brewer, W. L. and F. C. Williams. Objective method for determination of equivalent neutral densities of color film images. Definitions and basic concepts—820(A)
Bridge, Charles S. (see Day, Pierce B.)—813(A)
—— Luminosity curve as affected by the relation between rod and cone adaptation—733
—— Prediction of mesopic luminosity curves—330(T)
Brode, Wallace R. (see Crittenden, E. C.)—939
——, **John H. Gould, James E. Whitney, and George M. Wyman,** Comparative survey of spectrophotometers in the 210–760 mμ region—862
——, **John H. Gould, and George M. Wyman.** Effect of a helium atmosphere on the Beckman infrared spectrophotometer—330(A), 969
Brodersen, Svend. Noise filter effects in recording spectroscopes—1216
—— Resolving power and noise in infrared spectroscopes—877
Brooks, W. L., J. H. Greig, C. Pine, W. G. Zoellner, and J. H. Rohrbaugh. Absorption of millimeter waves in dielectric solids—1191
Brouwer, W. Compensation of flexure in instruments with any number of lenses—836
Brown, John L. and A. Leonard Diamond. Device for simulating the visual displays of PPI scopes—1143
——, **A. Leonard Diamond, and Helmut E. Adler.** Effect of duration of light adaptation on time required for detection of a target on a simulated PPI scope—1147
——, **C. H. Graham, H. Leibowitz, and H. B. Ranken.** Luminance thresholds for the resolution of visual detail during dark adaptation—197
Brown, Kenneth T. Factors affecting differences in apparent size between opposite halves of a visual meridian—464
Brumley, Corwin H. (see Finkelstein, Nisson A.)—335(A)
Bullock, B. W. (see Benedict, W. S.)—1106
Bullock, B. W. and S. Silverman. Spectral and pressure observations of explosion phenomena—389
Burgess, J. S., E. E. Bell, and H. H. Nielsen. Forbidden transition, ν_2, in the infrared spectrum of methane—1058
Burnham, Robert W. and Sidney M. Newhall. Color perception in small narrow test fields—331(A), 899
Burns, Keivin and Kenneth B. Adams. Interference measurements in the spectrum of Argon I.—1020
Bush, William R. (see Boynton, Robert M.)—814(A)
Buteux, R. H. Examination of surfaces by x-ray reflection—618(L)
Butler, C. P. (see Curcio, J. A.)—97

Campbell, F. W. Twilight myopia—925(L)
Canody, Lillian J., T. Harris, Jr., and J. F. Woodruff. Influence of varying amounts of elements in steel and cast irons on spectral intensity—145
Carpenter, Robert O'B. and John U. White. Double-beam densitometer and comparator—329(A)
Chamberlain, J. W. (see Oliver, N. J.)—710(L)
Chapanis, A. and Rita M. Halsey. Photopic thresholds for red light in an unselected sample of color-deficient individuals—62(L)
Charlesworth, Mary Jean (see Opler, Ascher)—550
Christie, A. W. Luminous directional reflectance of snow—621(L)
Claassen, Howard H. and J. Rud Nielsen. Raman apparatus for gases—352
Claffy, E. W. (see Schulman, J. H.)—318(L)
Clapper, F. R. (see Williams, F. C.)—595
—— **and J. A. C. Yule.** Effect of multiple internal reflections on the densities of half-tone prints on paper—600
Clark, Carl, Ralph Vinegar, and James D. Hardy. Goniometric spectrometer for the measurement of diffuse reflectance and transmittance of skin—334(A)
——, **Ralph Vinegar, and James D. Hardy.** Goniometric spectrometer for the measurement of diffuse reflectance and transmittance of skin in the infrared spectral region—993
Clark, R. J., C. D. Hause, and G. S. Bennett. Adjustment of Mach-Zehnder interferometer for white-light fringes—408(L)
Cleveland, Forrest F. (see Voelz, Fred L.)—1061
Coates, Vincent J., Abe Offner, and E. H. Siegler, Jr. Design and performance of an infrared microscope attachment—984
Coffman, M. L. (see Richardson, H. M.)—873
Cole, A. R. H. Double-beam double-pass infrared spectrometer—807(L)
Coleman, Howard S. and George W. Crawford. Study of the physical and optical properties of dimets—326(A)
—— **and David L. Fridge.** Effect of primary astigmatism on image contrast—325(A)
—— **and David L. Fridge.** Photoelectric resolution and contrast data for the primary aberrations—813(A)
—— **and Harold E. Rosenberger.** Grating interferometer—813(A)
Combes, Lewis S. (see Ballard, Stanley S.)—975
Conant, G. H., Jr. Ray tracing through refracting surfaces shaped as conic sections with additional aspheric ripples—811(A)
Conway, John G. and Mark Fred. Isotope shift in the plutonium spectrum—216(L)
Corliss, C. H. (see Bozman, W. R.)—329(A)
——, **W. R. Bozman, and F. O. Westfall.** Electrodeless metal-halide lamps—329(A), 398
Cornsweet, Janet C. (see Riggs, Lorrin A.)—495
Cornsweet, Tom N. (see Riggs, Lorrin A.)—495
Cowan, George R., Earl Vincent, and Bryce Crawford, Jr. Application of a fast-scanning infrared spectrometer to gas-phase kinetic studies—710(L)
Cox, Arthur. Fifth-order aberration coefficients—811(A)
Crawford, Bryce, Jr. (see Cowan, George R.)—710(L)
—— (see Downie, A. R.)—941
Crawford, George W. (see Coleman, Howard S.)—326(A)
Crittenden, E. C. and Wallace R. Brode. Editorial—William W. Coblentz—939
Cross, Paul C. (see Bair, Edward J.)—681
Crosswhite, H. M. (see Steinhaus, D. W.)—257
Curcio, J. A., L. F. Drummeter, C. C. Petty, H. S. Stewart, and C. P. Butler. Experimental study of atmospheric transmission—97
Cusano, D. A. (see Studer, Frank J.)—522

Daasch, Lester W. (see Nielsen, J. Rud)—1071
Daniel, John H. and Frederick S. Brackett. Infrared recording of optical density *vs.* linear frequency—960
Davidson, Hugh R. and Elaine Friede. Size of acceptable color differences—581
Davis, D. O. and K. W. Meissner. Fine structure of the $(^4S^o)3p\ ^3P$ term of oxygen O I—510
Davis, Raymond, Kasson S. Gibson, and Geraldine Walker Haupt. Spectral energy distribution of the international commission of illumination light sources A, B, and C—172
Davis, Sumner P. (see Harrison, George R.)—816(A), 853
Dawson, Thomas L. (see Bair, Edward J.)—681
Day, Pierce B. Radiant intensity of electrically exploded wires—817(A)
—— **and Charles S. Bridge.** Effect of aperture and axial astigmatism on the theoretical limit of resolution—813(A)
Deibel, P. V. (see Peters, C. W.)—816(A)
Deirmendjian, Diran and Zdeněk Sekera. Quantitative evaluation of multiply scattered and diffusely reflected light in the direction of a stellar source in a Rayleigh atmosphere—1158
Deverall, G. V., K. W. Meissner, and G. J. Zissis. Selection of optimal spacers in Perot-Fabry interferometry—673
Diamond, A. Leonard (see Brown, John L.)—1143, 1147

Dickey, J. (see Apker, L.)—78
Dieke, G. H. (see Steinhaus, D. W.)—257
Di Francia, G. Toraldo. Fundamental theorem of parageometrical optics—368
—— Image sharpness in the central field of a system presenting third- and fifth-order spherical aberration—325(A)
—— On the image sharpness in the central field of a system presenting third- and fifth-order spherical aberration—827
Dimmick, Forrest L. (see Katz, Milton S.)—815(A)
—— (see Smith, Stanley W.)—541(L)
Djurle, Erik (see Ingelstam, Erik)—572
Doberly, Victor J. (V. J. Dobroliuboff). Doberly's color stereoscope for black and white diapositives—820(A)
Dowdy, A. H. (see Greenfield, M. A.)—42
Downie, A. R., M. C. Magoon, Thomasine Purcell, and Bryce Crawford, Jr. Calibration of infrared prism spectrometers—941
Drummeter, L. F. (see Curcio, J. A.)—97
Duntley, Seibert Q. Refractive limitations on resolving power in underwater photography—821(A)

Eve, Mituru (see Motokawa, Koiti)—203
Eberstein, A. (see Koehler, W. F.)—747
Edlén, Bengt. Dispersion of standard air—339
Eisen, Fred C. (see Wolfe, Robert N.)—914
Elias, Peter. Optics and communication theory—229
Ellickson, R. T. Electron trapping states in phosphors—196
Emerson, E. S., A. S. Makas, and C. D. West. Orientation birefringence in inorganic glasses—818(A)
Emslie, A. G. (see King, Gilbert W.)—336(A), 664
—— **and Gilbert W. King.** Spectroscopy from the point of view of the communication theory. II. Line widths—658
Engel, Philip M. and George P. Bentley. Stable flicker photometer for quantitative industrial control purposes—334(A)
Enoch, Jay M. (see Boynton, Robert M.)—814(A)
Eppley, Marion and Alton R. Karoli. Use of wave number in radiation formulas—957
Epstein, L. Ivan. Progress chart for periodically stratified media—327(A)
Eshbach, Frances E. (see Fisher, Russell A.)—1030
—— **and Russell A. Fisher.** Near infrared spectrum of lanthanum—331(A)
Essig, Fred C. (see Holmes, John R.)—327(A)
Etzel, H. W. Single detector split-beam automatic recording spectrophotometer—87
Evans, Doris and Sigmund Weissmann. Intensity measurement of small x-ray diffraction spots by projection of a positive print—1183
Eyer, James (see Hopkins, Robert E.)—821(A)

Fajans, Jack. Energy conservation in the 1849A line fluorescence of mercury—329(A)
Faris, John J. Note on toric wave fronts—406(L)
Farnsworth, Dean. Tritanomalous relation of color at small subtense as found by three experimental methods—812(A)
Fassel, Velmer A. (see Brehm, Richard K.)—886
—— (see Huke, Frank B.)—400
—— **and Richard Kniseley.** Effect of stray light in prism and grating spectrographs on emulsion calibration curves and its significance in spectrographic analysis—821(A)
Fastie, William G. Experimental performance of curved slits—1174
—— Use of magnesium oxide powder as a receiver blackener—333(A)
Feder, Donald P. Aspherics in inverted telephoto lenses—325(A)
—— **and O. N. Stavroudis.** Interpolating for spot diagrams with automatic computing machines—327(A)
Fellgett, Peter. Concerning photographic grain, signal-to-noise ratio, and information—271
Finkelstein, Nisson A. Measurement of wavelength in echelle spectra—90
—— (see Berning, Jean)—327(A)
——, **Corwin H. Brumley, and Robert J. Meltzer.** Rectilinear transmission grating—335(A)
Fischer, Heinz. Self-reversal of the H_α hydrogen line in the high pressure spark discharge—394
Fisher, Russell A. (see Eshbach, Frances E.)—331(A)
—— **and Frances E. Eshbach.** Magnesium arc spectrum in the near infrared—1030
—— **and Hal L. Sowers.** Magnesium arc spectrum in the near infrared—330(A)
Fonda, Gorton R. (see Jones, Shannon)—336(A)
Fowler, F. E., D. S. Johnson, and D. E. Billings. Isophotal contour densitometer—63(L)
Fowler, R. G. (see Richardson, H. M.)—873
—— **and Raymond M. Smith.** Similarities in the infrared spectra of homologous compounds—1054
Fraser, R. D. B. Elimination of atmospheric water vapor absorption in the Perkin-Elmer infrared spectrometer—929(L)
—— 0.8 N.A. reflecting microscope for infrared absorption measurements—929(L)
Fraser, Walter A. New triaxial system of infrared glasses—823(A)
Fraser, W. A. and J. Jerger, Jr. Arsenic trisulfide: a new infrared transmitting glass—332(A)
Fred, Mark (see Conway, John G.)—216(L)
—— (see Tomkins, Frank S.)—821(A)
Frerichs, Rudolf. New optical glasses with good transparency in the infrared—1153
Fridge, David L. (see Coleman, Howard S.)—325(A), 813(A)
Friede, Elaine (see Davidson, Hugh. R.)—581
Friedel, R. A. and M. G. Pelipetz. Infrared spectra of coal and carbohydrate chars—1051
Froelich, H. C. Sensitized electroluminescent response—320(L)
Fry, Glenn A. Theory of the masking technique for isolating the retinal response to focused light—814(A)
—— **and Mathew Alpern.** Effect on foveal vision produced by a spot of light on the sclera near the margin of the retina—187
—— **and Mathew Alpern.** Effect of a peripheral glare source upon the apparent brightness of an object—189
Fuson, Nelson and Marie-Louise Josien. Structure of the associated OH valence vibration band in light and heavy acetic, trichloroacetic, and trifluoroacetic acids—1102

Gaebler, Oliver H. Method for continuous flushing of an infrared spectrophotometer with dry nitrogen—705(L)
Gatterer, A. On the carbon flame method and its application to the excitation of pure band spectra—345
Gault, Robert L. and C. D. Hause. Polarization effects in diffraction of light by a straight edge—336(A)
Gee, A. E. (see Yoder, P. R., Jr.)—702, 811(A), 1200
Gerathewohl, Siegfried J. Conspicuity of steady and flashing light signals: variation of contrast—567
Gibson, Kasson S. (see Davis, Raymond)—172
Ginsberg, Robert H. (see Givens, M. Parker)—811(A)
Ginther, Robert J. (see Schulman, J. H.)—318(L), 818(A)
—— **and Clifford C. Klick.** Determination of quantum efficiencies for powdered phosphors—818(A)
Givens, M. Parker (see Koester, Charles J.)—818(A)
—— (see Woodruff, Robert W.)—817(A)
——, **Brian O'Brien, and Robert H. Ginsberg.** Production of aspherics by the dropping process.—811(A)
Golay, Marcel J. E. Multislit multipass spectrometers—58(L)
—— Multislit multipass spectrometry—333(A)
Goldberg, Benjamin (see Liben, William)—347
Goldberg, Bernice. New computation of the Mie scattering functions for spherical particles—1221(L)

Goldberg, Leo and Edith A. Müller. Vertical distribution of nitrous oxide and methane in the earth's atmosphere—1033
Gould, John H. (see Brode, Wallace R.)—330(A), 862, 969
Graham, C. H. (see Brown, J. L.)—197
Grant, Gordon (see Meecham, William C.)—816(A)
Green, Milton. Study of preliminary curves for SAI emulsions—821(A)
Greenfield, M. A. (see Specht, R. D.)—60(L)
——, **A. Norman, A. H. Dowdy, and P. M. Kratz.** Beta- and gamma- induced Čerenkov radiation in water—42
Greig, J. H. (see Brooks, W. L.)—1191
Grosch, H. R. J. High speed arithmetic: the digital computer as a research tool—306
Crosse, A. V. (Benedict, W. S.)—1106
Guest, P. G. and Wendell M. Simmons. Fiduciary fringes in the Jamin refractometer—319(L)

Haendler, H. M., C. M. Wheeler, Jr., and W. J. Bernard. Transmittance of crystalline cadmium fluoride—215(L)
Halsey, Rita M. (see Chapanis, A.)—62(L)
Hamilton, Larry (see Baskins, Lowell L.)—817(A)
Hammad, A. Calculation of the polarization of a sunlit sky composed of pure air molecules—184
Hammond, V. J. and W. C. Price. New system for the elimination of scattered light effects in spectrophotometers—924(L)
Hampton, Merle I. (see Kerker, Milton)—370
Hanson, W. T., Jr., and W. Lyle Brewer. Subtractive color photography: The role of masks—820(A)
Hardy, James D. (see Clark, Carl)—334(A), 993
Harper, David C. Testing roof prisms—814(A)
—— **and Royce D. Pickering.** Use of power compensation in the testing of optical components in the Twyman-Green interferometer—813(A)
Harris, Louis and Arthur L. Loeb. Conductance and relaxation time of electrons in gold blacks from transmission and reflection measurements in the far infrared—1114
Harris, T., Jr. (see Canody, Lillian J.)—145
Harrison, George R. (see Meggers, William F.)—816(A)
——, **Sumner P. Davis, and Hugh J. Robertson.** Precision measurement of wavelengths in echelle spectroscopy—816(A)
——, **Sumner P. Davis, and Hugh J. Robertson.** Precision measurement of wavelengths with echelle spectrographs—853
Hasler, M. F. Relative speeds of Raman spectrometers—708(L)
Hass, G. (see Bradford, A. P.)—326(A)
—— **and C. Salzberg.** Optical properties of silicon monoxide in the wavelength region from 0.4 to 14 microns—326(A)
——, **H. H. Schroeder, and A. F. Turner.** Mirror coatings for low visible and high infrared reflectance—326(A)
Haupt, Geraldine Walker (see Davis, Raymond)—172
Hause, C. D. (see Clark, R. J.)—408(L)
—— (see Gault, Robert L.)—336(A)
—— (see Nichols, Nathan L.)—331(A)
Hayball, George D. (see Miller, Charles G.)—332(A)
Heidel, Robert H. (see Huke, Frank B.)—400
Heigt, Lawrence, J. and David E. Bosley. Evaluation of two simple methods for calibrating wavelength and absorbance scales of modern spectrophotometers—760
Hemmendinger, Henry. Effects of Metamerism on color measurements with filter photometers—812(A)
Hendee, C. F. Time-resolved spectroscopy with pulsed photomultipliers—330(A)
Herriott, Donald R. Interferometer for thick plates—823(A)
Herscher, L. W. and N. Wright. Small infrared spectrometer analyzer for chemical process streams—980
Herzberg, G. and L. Herzberg. Rotation-vibration spectra of diatomic and simple polyatomic molecules with long absorbing paths. XI. Spectrum of carbon dioxide (CO_2) below 1.25μ—1037
Herzberg, L. (see Herzberg, G.)—1037
Herzberger, M. Image errors and diapoint errors—325(A)
—— New characteristic function—814(A)
—— **and Erich Marchand.** Tracing a wave through an optical system—813(A)
Higgins, G. C. and K. F. Stultz. Frequency and amplitude of ocular tremor—1136
—— **and R. N. Wolfe.** Relation of definition to sharpness and resolving power in a photographic system—820(A)
Hinteregger, H. E. Differential phototubes for the vacuum ultraviolet—328(A)
—— **and K. Watanabe.** Photoelectric cells for the vacuum ultraviolet—604
Hoadley, H. O. Suggestion for an improved telephoto objective—923(L)
Holland, F. H., R. S. Mickelson, and S. A. Powers. Objective method for determination of equivalent neutral densities of color film images. Densitometer calibrations—820(A)
Holland, L. Effect of vapor incidence on the structure of evaporated aluminum films—376
Holmes, John R. (see Parker, Lee W.)—103
—— **and Fred C. Essig.** Reflectance and transmittance of aluminum films in the visible region—327(A)
Holmwood, William A. Comparison of the old and new General Electric recording spectrophotometer from a service and maintenance standpoint—812(A)
Holt, Walter W. Thermal fracture of glass by hot air—336(A)
Hopkinson, H. R. (see Turner, A. F.)—819(A)
Hopkins, Robert E. Comments on the use of automatic ray tracing—812(A)
—— **and Howard Kerr.** Comparison of measured and calculated energy distributions—327(A)
——, **Susanna Oxley, and James Eyer.** Problem of evaluating a white light image—821(A)
Huke, Frank B., Robert H. Heidel, and Velmer A. Fassel. Measurement of fluorescent spectra of liquids with a modified Beckman DU spectrophotometer—400
Hulburt, E. O. Explanation of the brightness and color of the sky, particularly the twilight sky—113
—— (see Beck, C. J.)—405(L)
Humphreys, Curtis J. First spectrum of mercury in the region between 1.3 and 2.0μ—1027
Hunt, R. W. G. Perception of color in 1° fields for different states of adaptation—332(A), 479
Hunter, Richard S. New recording goniophotometer—334(A)
Hurvich, Leo M. (see Jameson, Dorothea)—331(A), 552
—— **and Dorothea Jameson.** Spectral sensitivity of the fovea. I. Neutral adaptation—485
Hynek, J. A. Unusual aerial phenomena—311

Ingelstam, Erik and Erik Djurle. Study of diffraction grating characteristics by simplified phase contrast methods.—572
Ingle, G. W. and L. Rudick. Comparison of the MacAdam and the Adams-Nickerson indexes of color differences—334(A), 501
Inn, Edward C. Y. (see Watanabe, K.)—32
—— **and Yoshio Tanaka.** Absorption coefficient of ozone in the ultraviolet—329(A)
—— **and Yoshio Tanaka.** Absorption coefficient of ozone in the ultraviolet and visible regions—870
Ishiguro, Kozo and Goro Kuwabara. Phase and intensity measurements for some aluminum films—365
Ives, Herbert E. Genesis of the query "is there an ether?"—217(L)
—— Note on "mass-energy relationship"—618(L)

Jacquinot, P. and C. Squire. Note on reflection and diffraction from ice crystals in the sky—318(L)
Jaffe, Joseph H. Carbon arc as an infrared source—619(L)
—— Concerning the use of the Fabry-Perot interferometer for wavenumber measurement in the infrared—1170

Jameson, Dorothea (see Hurvich, Leo M.)—485
—— **and Leo M. Hurvich.** Spectral sensitivity of the fovea and its dependence on chromatic adaptation—331(A)
—— **and Leo M. Hurvich.** Spectral sensitivity of the fovea. II. Dependence on chromatic adaptation—552
Jarrell, R. F. New stigmatic plane grating spectrograph for high orders—817(A)
Jarrell, R. F. Use of a small prism spectrograph as a predisperser to separate orders in grating spectrographs—817(A)
Jelatis, John G. Improved light modulator utilizing the crystalline electro-optic effect—335(A)
Jenkins, F. A. (see Stone, John M.)—819(A)
Jenkinson, Robert (see Nelson, R. C.)—1181
Jerger, J., Jr. (see Fraser, W. A.)—332(A)
Johnson, D. S. (see Fowler, F. E.)—63(L)
Johnston, Russell (see Stair, Ralph)—328(A)
Jones, R. Clark. Detectivity of the human eye—814(A)
—— General theory of bolometer performance—1
—— Lead sulfide photoconductive cell is a type II detector—333(A)
—— On reversibility and irreversibility in optics—138
—— On the relation between the speed of response and the detectivity of lead sulfide photoconductive cells—1008
Jones, Shannon and Gorton R. Fonda. Quantum efficiencies and optical properties of phosphors—336(A)
Josien, Marie-Louise (see Fuson, Nelson)—1102

Kahl, G. D. (see Bennett, F. D.)—71
Kalnajs, J. (see Smakula, A.)—698, 822(A)
Karoli, Alton R. (see Eppley, Marion)—957
Karplus, Robert. Quantum electrodynamics—237
Katz, Milton S., Ailene Morris, and Forrest L. Dimmick. Effects of various durations of red adaptation on the course of subsequent dark adaptation—815(A)
Kavanagh, R. W. (see Penner, S. S.)—385
Kavanagh, R. W., E. K. Björnerud, and S. S. Penner. Nomogram for the evaluation of blackbody radiancy and of peak and total intensities for spectral lines with Doppler contour—380
—— **and S. S. Penner.** Nomogram for the evaluation of blackbody radiancy and of peak and total intensities for spectral lines with Lorentz contour—383
Kerker, Milton and Merle I. Hampton. Use of unfiltered light in determining particle radius by the polarization ratio of the scattered light—370
—— **and Henry E. Perlee.** Additional light scattering functions for spherical particles of refractive index of 2—49
Kerr, Howard (see Hopkins, R. E.)—327(A)
Kiess, C. C. Extension of the second spectrum of zirconium into infrared—1024
King, Gilbert W. (see Emslie, A. G.)—658
—— **and A. G. Emslie.** Spectroscopy from the point of view of communication theory. Part III—amount of information in a spectrum—336(A)
—— **and A. G. Emslie.** Spectroscopy from the point of view of the communication theory. Part III. The amount of information in a spectrum—664
King, William H., Jr. Ratio recording double-beam ultraviolet spectrophotometer—866
Kinosita, Koreo. On Pfund's method of measurement of the Brewsterian angle—924(L)
Klick, Clifford C. (see Ginther, Robert J.)—818(A)
—— (see Schulman, James H.)—516
Kniseley, Richard (see Fassel, Velmer A.)—821(A)
Koehler, W. F. Mechanism of polishing glass as determined by multiplebeam interferometry—335(A)
—— Multiple-beam fringes of equal chromatic order. Part I. Phase change considerations—738
—— Multiple-beam fringes of equal chromatic order. Part II. Mechanism of polishing glass—743
—— **and A. Eberstein.** Multiple-beam fringes of equal chromatic order. Part III. The cleavage of topaz—747
Koester, Charles J. and M. Parker Givens. Absorption of metallic selenium in the extreme vacuum ultraviolet—818(A)
Koller, Lewis R. Monolayer fluorescent screens—620L
Koomen, M. J. (see Tousey, R.)—177, 926(L)
Koomen, M. J., R. Scolnik, and R. Tousey. Measurement of accommodation in dim light and in darkness by means of the Purkinje images—27
Kratz, P. M. (see Greenfield, M. A.)—42
Kretschmar, George G. and Henry W. Wedaa. Optical method for the study of impinging jets in a liquid stream—526
Kuwabara, Goro. On the flare of lenses—53
—— (see Ishiguro, Kozo)—365

Land, Edwin H. Three-dimensional presentation with polarized light—818(T)
Law, O. T., Jr. (see Blackwell, Richard)—815(A)
Lee, James H. Vacuum tube molecular emission and dissociation spectra—619(L)
Lee, Po and G. L. Weissler. Characteristics of ultraviolet-sensitized photographic plates in the vacuum ultraviolet—512
Leibhardt, Edward. Design for a wire grating—1221(L)
Leibowitz, Herschel. Some observations and theory on the variation of visual acuity with the orientation of the test object—902
—— (see Brown, J. L.)—197
Leistner, Karl, Bernard Marcus, and Burton W. Wheeler, Jr. Lens testing bench—44
Lenormant, H. (see Blout, E. R.)—1093
Letzer, Edward K. Application of interference filters in color densitometry—332(A)
Levinstein, Henry (see Bode, Donald E.)—1209
Liang, C. Y. (see Nielsen, J. Rud)—1071
Liben, William and Benjamin Goldberg. New line board test for paraboloidal reflectors—347
Liddel, Urner. Phantasmagoria or unusual observations in the atmosphere—314
Little, William F. Applied photometry with special reference to the gonio types—330(T)
Lippmann, B. A. Note on the theory of gratings—408(L)
Loeb, Arthur L. (see Harris, Louis)—1114
Lord, R. C. and Putcha Venkateswarlu. Infrared spectra of propylene and propylene-d_6—1079
Lovell, D. J. (see Beck, C. J.)—405(L)
—— (see Stewart, Harold S.)—329(A)
Lucy, F. A. Spectra produced by explosives—331(A)

MacAdam, D. L. Automatic recording spectroradiometer—819(A)
—— Dependence of color-mixture functions on choice of primaries—333(A), 533
—— Truncated weighted ordinate integrations in colorimetry—622(L)
MacDonald, Duncan E. Air photography—290
—— Remark on the performance requirements of photographic systems—327(A)
Magill, Arthur A. Variation in distortion with magnification—328(A)
Magoon, M. C. (see Downie, A. R.)—941
Mahan, A. I. Radiation characteristics of circular, semicircular, and rectangular surface sources—817(A)
—— **and H. A. Templin.** Third-order methods as applied to zonal aberrations of single long focal length lenses—356
Makas, A. S. (see Emerson, E. S.)—818(A)
Mara, R. T. and G. B. B. M. Sutherland. Infrared spectrum of brucite [$Mg(OH)_2$]—1100
Marchand, Erich (see Herzberger, M.)—813(A)
Marcus, Bernard (see Leistner, Karl)—44

Mariner, Thomas (see Stamm, Robert F.)—119
Mark, H. (see Oster, G.)—283
Marmo, F. F. Absorption coefficients of nitrogen oxide in the vacuum ultraviolet—1186
Marrinan, H. J. Use of photomultipliers in raman spectroscopy—1211
Martin, A. E., J. A. Noland, and R. Q. Vogel. Photoelectric tristimulus colorimetry of television picture tube screens—335(A)
McAdie, H. G. and R. V. V. Nicholls. Attachment to permit the examination of liquid films by a Beckman model DU spectrophotometer—767
McAlister, E. D. Reflection from free liquid surfaces in the 1 to 15 micron region—823(A)
McCarthy Kathryn A. (see Ballard, Stanley S.)—975
—— **and Stanley S. Ballard.** Data on the thermal conductivity of arsenic trisulfide glass, and of crystalline cesium iodide and barium titanate—822(A)
—— **and Stanley S. Ballard.** Variation of thermal conductivity with temperature for noncubic crystals—333(A)
McCormick, W. W. (see Wahr, J. C.)—151, 804(L), 816(A)
McDonald, Keith Leon. Diffraction of spherical vector waves by an infinite half-plane—641
McLeod, John H. Axicon, a new type of optical element—328(A)
McNally, Fred A. Film thickness measurement for grating blanks—540(L)
McNally, J. R., Jr. (see Stukenbroeker, G. L.)—36
McQuistan, Richmond B. (see Agnew, John T.)—823(A), 999
Meecham, William C. and Gordon Grant. Method for the calculation of the energy distribution of a diffraction grating—816(A)
Meggers, William F. (see Bozman, W. R.)—329(A)
—— **and George R. Harrison.** Zeeman effect in spark line of ruthenium—816(A)
Meikle, Richard W. (see Opler, Ascher)—550
Meinel, A. B. Aspheric field correctors for astronomical telescopes—811(A)
Meissner, K. W. (see Davis, D. O.)—510
—— (see Deverall, G. V.)—673
—— (see Tomkins, Frank S.)—821(A)
Meister, Arnold G. (see Voelz, Fred L.)—1061
Mellors, Robert C. Multiple beam interference microscopy and quantitative cytology—326(A)
Meltzer, Robert J. Blaze of concave gratings—816(A)
—— Blaze properties of transmission gratings—335(A)
—— (see Finkelstein, Nisson A.)—335(A)
Mertz, Lawrence. Multichannel spectrometer for the far infrared—333(A)
Michels, Walter C. Alternate explanation of subjective brightness scale data—815(A)
Mickelson, R. S. (see Holland, F. H.)—820(A)
Middleton, W. E. Knowles. Comparison of colorimetric results from a normal-diffuse spectrophotometer with those from a 45-degree-normal colorimeter for semi-glossy specimens—1141
—— Illuminating and viewing conditions in spectrophotometry and colorimetry of semiglossy specimens—333(A)
—— Physical methods of photometry—330(T)
—— (see Sanders, C. L.)—58(L)
—— **and A. G. Mungall.** Instrument for the measurement of distinctness-of-image gloss—334(A)
Migeotte, M. (see Benesch, W.)—1119
Miles, Walter R. Effectiveness of red light on dark adaptation—435
—— Light sensitivity and form perception in dark adaptation—560
Millar, G. H., J. G. Winans, O. A. Uyehara, and P. S. Myers. Fast, electro-optical, hot-gas pyrometer—609.
Miller, Charles G. and George D. Hayball. Fast single prism spectrograph employing multiple passing—332(A)
Miller, Oran E. (see Anderson, Don H.)—777
Milligan, Francis H. (see Wolfe, Robert N.)—791
Mitzner, Bernard M. Simple method of obtaining the infrared spectra of solid organic samples—806(L)
—— Simple technique for recovering infrared samples—806(L)
Moon, Parry and Domina Eberle Spencer. Binary stars and the velocity of light—635
Moore, Charlotte E. Infrared multiplets and the solar spectrum—1014
Moore, Gordon E. Spectrum of nitrogen dioxide in the 1.4–3.4μ region and the vibrational and rotational constants of the NO_2 molecule—1045
Morris, Ailene. Scotopic acuity as influenced by varying spherical correction—815(A)
—— (see Katz, Milton S.)—815(A)
Morris, R. H. and J. H. Morrissey. Objective method for determination of equivalent neutral densities of color film images. Determination of primary equivalent neutral densities—820(A)
Morrissey, J. H. Application of the least-squares criterion to the analysis of response differences from incomplete paired comparisons—821(A)
—— (see Morris, R. H.)—820(A)
Motokawa, Koiti and Mituru Ebe. Retinal receptors isolated with AC method and polychromatic theory—203
Müller, Edith A. (see Goldberg, Leo)—1033
Mungall, A. G. (see Middleton, W. E. K.)—334(A)
Myers, P. S. (see Millar, G. H.)—609

Nail, Nelson R. (see Urbach, Franz)—336(A)
Nelson, C. N. Psychometric methods for evaluating photographic materials—332(A)
—— (see Sorem, A. L.)—334(A), 689
Nelson, R. C. and Robert Jenkinson. Simple device for direct-recording spectrophotometry—1181
Neu, John T. Construction of a dual beam heated infrared cell—520
Neugebauer, Hans E. J. Model for the three-dimensional representation of the colors of pigments—812(A)
Neven, L. (see Benesch, W.)—1119
Newhall, Sidney M. (see Burnham, Robert W.)—331(A), 899
Nicholls, R. V. V. (see McAdie, H. G.)—767
Nicholls, R. W. Spectroscopic intensities and photographic blackening—330(A), 882
Nichols, Nathan L., C. D. Hause, and R. H. Noble. Near infrared spectra of NO—331(A)
Nickerson, Dorothy, Josephine J. Tomaszewski, and Thomas F. Boyd. Colorimetric specifications of Munsell repaints—163
Nicodemus, Fred E. Radiometer calibration for extended-source measurements—547
Nielsen, H. H. (see Burgess, J. S.)—1058
Nielsen, J. Rud (see Claassen, Howard H.)—352
——, **C. Y. Lian, and Lester W. Daasch.** Vibrational spectra and calculated thermodynamic properties of 1,1,1,2-tetrachloroethane and pentachloroethane—1071
Nimeroff, Isadore. Propagation of errors in spectrophotometric colorimetry—531
—— **and Samuel W. Wilson.** Tristimulus colorimeter for translucent media—812(A)
Noble, R. H. Vacuum spectrograph for the infrared—330(A)
—— (see Nichols, Nathan L.)—331(A)
Noland, J. A. (see Martin, A. E.)—335(A)
Norman, A. (see Greenfield, M. A.)—42

Obetz, S. Wendel (see Peck, Edson R.)—505
O'Brien, Brian (see Givens, M. Parker)—811(A)
Oetjen, Robert A. (see Stroup, Richard E.)—1096
Offner, Abe (see Coates, Vincent, J.)—984

Ogle, Kenneth N. Precision and validity of stereoscopic depth perception from double images—906
—— Precision and validity of stereoscopic localization with double images—331(A)
Oliver, N. J., S. J. Wolnik, J. C. Scanlon, and J. W. Chamberlain. Some remarks on spectra of low-intensity auroras—710(L)
O'Neil, Edward L. Modulation function in optics—821(A)
Opler, Ascher, Richard W. Meikle, and Mary Jean Charlesworth. Automatic calculation of color differences—550
Orr, S. F. D. Design of a ratio-recording spectrophotometer with double-pass monochromator—709(L)
Oster, G. and H. Mark. Production of organic free radicals by light—283
Osterberg, Harold and Nancy E. Page. Linear recurrence equations for analyzing multilayers—728
Otero, Jose M. Measurement of accommodation in dim light and in darkness by means of the Purkinje images—925(L)
Overend, J. and H. W. Thompson. Vibration-rotation bands and molecular structure of allene—1065
Oxley, Susanna (see Hopkins, Robert E.)—821(A)

Page, Nancy E. (see Osterberg, Harold)—728
Parker, Lee W. and John R. Holmes. Isotope shift in neutral oxygen—103
Patrick, F. B. (see Yoder, P. R., Jr.)—702, 811(A), 1200
Pattee, Howard H., Jr. Scanning x-ray microscope—61(L)
Peck, Edson R. and S. Wendell Obetz. Wavelength or length measurement by reversible fringe counting—505
Peckham, R. H. New method and apparatus for estimating retinal sensitivity with flicker—332(A)
—— Rapid method of color quality control—813(A)
Pelipetz, M. G. (see Friedel, R. A.)—1051
Penner, S. S. Determination of absolute f values from relative intensity measurements for spectral lines with Doppler contour—218(L)
—— (see Kavanagh, R. W.)—380, 383
—— **and R. W. Kavanagh.** Radiation from isolated spectral lines with combined Doppler and Lorentz broadening—385
Perlee, Henry E. (see Kerker, Milton)—49
Perrin, Fred H. and J. H. Altman. Studies in the resolving power of photographic emulsions. VI. The effect of the type of pattern and the luminance ratio in the test object—780
Peters, C. W., T. F. Zipf, and P. V. Deibel. Microwave measurements of the intensity distribution of echlette diffraction gratings—816(A)
Peters, James and George Stroke. Electronic location of interference fringes—668
Petty, C. C. (see Curcio, J. A.)—97
Pickering, Royce D. (see Harper, David C.)—813(A)
Pine, C. (see Brooks, W. L.)—1191
Platt, John R. Classification and assignments of ultraviolet spectra of conjugated organic molecules—252
Plyler, Earle K. (see Acquista, Nicolo)—333(A), 917
—— (see Stephens, Robert E.)—110
—— **and Nicolo Acquista.** Infrared spectrometry with a cesium iodide prism—212(L)
——, **L. R. Blaine, and John A. Baker.** Molecular constants of CO—822(A)
Polster, Harry D. (see Woodruff, Edythe P.)—822(A)
—— **and Robert W. Woodruff.** Refractive index measurements of ZnS films—326(A)
Powers, Stanley A. Application of interference filters in color densitometry—332(A)
—— (see Holland, F. H.)—820(A)
Price, W. C. (see Hammond, V. J.)—924(L)
Pritchard, B. S. Design and development of a new recording spectrophotometer—812(A)
—— **and E. I. Stearns.** Dye control with the *R*-Cam and Ruler—212(L)
Purcell, J. D. Reflectance measurements from 1140A to 1190A by a simple open air method—1166
Purcell, Thomasine (see Downie, A. R.)—941

Quesada, Antonio (see Anderson, James C.)—335(A)

Randall, H. M. and D. W. Smith. Infrared spectroscopy in bacteriological research—1086
Rank, D. H. Interferometric techniques for precise wavelength measurement in the near infrared—330(A)
—— (see Wiggins, T. A.)—330(A)
——, **Jean M. Bennett, and T. A. Wiggins.** Fine structure of the $2\nu_3$ band of methane—707(L)
——, **Jean M. Bennett, and T. A. Wiggins.** Interferometric wavelength measurements in the near infrared—213(L)
——, **H. D. Rix, and T. A. Wiggins.** Some bands of methyl bromide in the near infrared under high resolution—157
——, **E. R. Shull, and T. A. Wiggins.** High resolution spectroscopy of the infrared—214(L)
——, **E. R. Shull, Jean M. Bennett, and T. A. Wiggins.** Interferometric wavelength measurement in the infrared by the method of exact orders. Precision measurement of the index of refraction of air at 1.65μ—952
Ranken, H. B. (see Brown, J. L.)—197
Ratliff, Floyd (see Riggs, Lorrin A.)—495
Rayces, Juan L. Note on "A general contribution formula for tangential rays"—705(L)
Reynolds, F. W. and G. R. Stilwell. Some properties of evaporated metal films—819(A)
Rhodes, J. Elmer, Jr. Microscope imagery as carrier communication—848
Rich, J. A., R. E. Slovacek, and F. J. Studer. Čerenkov radiation from a Co^{60} source in water—750
Richards, Oscar W. Visual acuity and contrast not improved by yellow glasses at illumination levels found for night driving—331(A)
Richardson, H. M., R. G. Fowler, and M. L. Coffman. Intensity-compensating system for infrared spectrophotometry—873
Riggs, Lorrin A., Floyd Ratliff, Janet C. Cornsweet, and Tom N. Cornsweet. Disappearance of steadily fixated visual test objects—495
Riseman, J. and I. G. Young. Mass-energy relationship—618(L)
Rix, H. D. (see Rank, D. H.)—157
Roberts, S. Dielectric changes of electroluminescent phosphor during illumination—590
Robertson, Hugh J. (see Harrison, George R.)—816(A), 853
Rodney, William S. (see Stephens, Robert E.)—110
Rohrbaugh, J. H. (see Brooks, W. L.)—1191
Rose, Albert. Quantum and noise limitations of the visual process—715
Rosenberger, Harold E. Optical decade telephotometer—336(A)
—— (see Coleman, Howard S.)—813(A)
Rudick, L. (see Ingle, G. W.)—334(A), 501
Ryason, Raymond. On the fabrication of alkali halide windows—928(L)

Salzberg, C. (see Hass, G.)—326(A)
Salzman, C. F., Jr. (see Stamm, Robert F.)—119, 126, 708(L)
Sanders, C. L. and E. E. Knowles Middleton. Absolute spectral diffuse reflectance of magnesium oxide in the near infrared—58(L)
Sawyer, R. A. (see Wahr, J. C.)—151, 804(L), 816(A)
Scanlon, J. C. (see Oliver, N. J.)—710(L)
Schade, Otto H. Fourier treatment of optical processes—704(L)
Schelling, Hermann von. Simple graphic method for the additive mixture of two colors on the CIE chromaticity diagram—706(L)

Schroeder, H. H. (see Hass, G.)—326(A)
Schulman, James H. and Robert J. Ginther. Properties of single crystals of NaF-sensitized CaF_2—818(A)
——, **R. J. Ginther, and E. W. Claffy.** Note on the properties of calcium silicate phosphors—318(L)
—— **and Clifford C. Klick.** Apparatus for automatic recording of reflection spectra—516
Schulz, L. G. Optical properties of bismuth in the near infrared—406(L)
Scolnik, R. (see Koomen, M.)—27
Sekera, Zdeněk (see Deirmendjian, Diran)—1158
Shenstone, A. G. Wadsworth mounting for grating—706(L)
Shive, John N. Properties of germanium phototransistors—239
Shuck, G. R. Light from a spherical globe—923(L)
Shull, E. R. (see Rank, D. H.)—214(L), 952
Siegler, E. H., Jr. (see Coates, Vincent, J.)—984
Sils, V. (see Smakula, A.)—698, 822(A)
Silverman, Shirleigh (see Benedict, W. S.)—1106
—— (see Bullock, B. W.)—389
Silvernail, Chester J. Note on fast spectrographic camera design—539(L)
Simmons, Wendell M. (see Guest, P. G.)—319(L)
Skolnik, R. (see Tousey, R.)—926(L)
Sloan, Louise L. and Adelaide Altman. Aniseikonia and the Howard-Dolman test—473
Slovacek, R. E. (see Rich, J. A.)—750
Smakula, A., J. Kalnajs, and V. Sils. Inhomogeneity of thallium halide mixed crystals and its elimination—698
——, **J. Kalnajs, and V. Sils.** Mixed crystals of thallium and cesium halides—822(A)
Smith, A. G. Effect of spectral class on daylight visibility of stars—806(L)
Smith, D. W. (see Randall, H. M.)—1086
Smith, Raymond M. (see Fowler, Richard G.)—1054
Smith, Stanley W. and Forrest L. Dimmick. Facilitative effect of red light on dark adaptation—541(L)
Sorem, A. L. and C. N. Nelson. Spectral and luminance, requirements for color transparency illuminators—334(A), 689
Sowers, Hal L. (see Fisher, Russell A.)—330(A)
Specht, R. D. and M. A. Greenfield. Spectral energy distribution in x-ray beam as a function of wavelength—60(L)
Spencer, Domina Eberle. Optics and Riemannian space—336(A)
—— (see Moon, Parry)—635
Spindler, Robert J. (see Stephens, Robert E.)—110
Squire, C. (see Jacquinot, P.)—318(L)
Stair, Ralph. Filter radiometry and some of its applications—971
—— **and Russell Johnston.** Ultraviolet spectral radiant energy from the moon—328(A)
Stamm, Robert F. and C. F. Salzman, Jr. Photoelectric raman spectrometer with automatic range changing. II. Conversion of Perkin-Elmer infrared instrument to grating type—126
—— **and C. F. Salzman, Jr.** Relative speeds of Raman spectrometers—708(L)
——, **C. F. Salzman, Jr., and Thomas Mariner.** Photoelectric raman spectrometer with automatic range changing. I. Conversion of photographic instrument—119
Stavroudis, O. N. (see Feder, Donald P.)—327(A)
Stearns, E. I. (see Pritchard, B. S.)—212(L)
Steinhaus, D. W., H. M. Crosswhite, and G. H. Dieke. Short period investigations in spark discharges—257
Stephens, Robert E. Cross-field error in unsymmetrical range finders—813(A)
—— Effect on illuminance of a lens interposed between the source and the illuminated surface—704(L)
——, **Earle K. Plyler, William S. Rodney, and Robert J. Spindler.** Refractive index of potassium bromide for infrared radiant energy—110
Stewart, Harold S. (see Curcio, J. A.)—97
—— **and Donald J. Lovell.** Recording cine spectrograph—329(A)
Stilwell, G. R. (see Reynolds, F. W.)—819(A)
Stone, John M. Refinements in the preparation and theory of multilayer films—927(L)
—— **and F. A. Jenkins.** Use of multilayer films to increase the resolving power of interferometers—819(A)
Straat, Harold W. Compensation of astigmatic errors in a grating spectrograph—325(A), 593
Stroke, George (see Peters, James)—668
Stroup, Richard E., Robert A. Oetjen, and Ely E. Bell. Rotational spectra of regular and deuterated phosphine and arsine in the region between 50 and 200K—1096
Stuart, Alexander Verrijn. Simple variable thickness cell for liquids—212(L)
Studer, Frank J. (see Rich, J. A.)—750
—— **and D. A. Cusano.** Titanium dioxide films as selective reflectors of the near-infrared—522
Stukenbroeker, G. L. and J. R. McNally, Jr. Isotope shifts in thorium—Th 230 and Th 232—36
Stultz, K. F. (see Higgins, G. C.)—1136
Sutherland, G. B. B. M. (see Mara, R. T.)—1100

Taft, E. (see Apker, L.)—78
—— **and L. Apker.** Photoemission from cesium and rubidium tellurides—81
Tamura, Mikio and Simpei Tutihasi. Silver bromide polycrystalline film prepared by precipitation method for photoconductive measurements—407(L)
Tanaka, Yoshio (see Inn, Edward C. Y.)—329(A), 870
Taylor, E. Wilfred. Ultraviolet microscope—299
Taylor, John H. and H. Richard Blackwell. Preliminary studies of variations in spectral sensitivity within the central fovea—814(A)
Teele, Ray P. Measuring circuit for radiometers—819(A)
—— Photometric units—330(T)
Templin, H. A. (see Mahan, A. I.)—356
Thompson, H. W. (see Overend, J.)—1065
Thomson, L. C. and W. D. Wright. Convergence of the tritanopic confusion loci and the derivation of the fundamental response functions—890
Tomaszewski, Josephine J. (see Nickerson, Dorothy)—163
Tomkins, Frank S., Mark Fred, and K. W. Meissner. Use of modulated white light interference fringes as wavelength standards—822(A)
Tousey, R. Rocket spectroscopy—245
—— (see Koomen, M.)—27
—— **and M. J. Koomen.** Visibility of stars and planets during twilight—177
—— **M. J. Koomen, and R. Skolnik.** Accommodation and night myopia—926(L)
Trees, R. E. (see Bozman, W. R.)—329(A)
Turner, A. F. (see Hass, G.)—326(A)
—— **and H. R. Hopkinson.** Reflection filters for the visible and ultraviolet—819(A)
Tutihasi, Simpei (see Tamura, Mikio)—407(L)
Tyler, John E. High-vacuum evaporation—708(L)

Urbach, Franz and Nelson R. Nail. Direct optical measurement of latent-image formation—336(A)
Uyehara, O. A. (see Millar, G. H.)—609

Vallee, Bert L. and Milton R. Baker. Effect of different atmospheres on electrode temperatures in the dc arc—817(A)
van den Brink, G. (see Bouman, M. A.)—895
—— **and M. A. Bouman.** Variation of integrate capacity in time and space: an adaptational phenomenon—814(A)
Venkateswarlu, Putcha (see Lord, R. C.)—1079
Vincent, Earl (see Cowan, George R.)—710(L)
Vinegar, Ralph (see Clark, Carl)—334(A), 993

Voelz, Fred L., Forrest F. Cleveland, Arnold G. Meister, and Richard B. Bernstein. Substituted methanes. XVII. Vibrational spectra, potential constants, and calculated thermodynamic properties of diiodomethane—1061
Vogel, R. Q. (see Martin, A. E.)—335(A)

Wachendorf, Fritz. Computing optimal lens systems—325(A)
—— Condition of equal irradiance and the distribution of light in images formed by optical systems without artificial vignetting—1205
Wahr, J. C., W. W. McCormick, and R. A. Sawyer. Emission characteristics of vacuum spark discharges—151
——, **W. W. McCormick, and R. A. Sawyer.** Line intensities in the vacuum spark spectra of aluminum and carbon—816(A)
——, **W. W. McCormick, and R. A. Sawyer.** Relative time dependence of the emission of lime and background from the vacuum spark—804(L)
Waller, Fred. Cinerama process—818(T)
Wallin, W. Note on apparent magnification in out-of-focus images—60(L)
Walsh, A. Design of double-beam multiple monochromators—215(L)
—— Reduction of scattered light in a Littrow-type monochromator—58(L)
—— **and J. B. Willis.** Multiple monochromators. IV. A triple monochromator and its application to near infrared, visible, and ultraviolet spectroscopy—989
Watanabe, K. Improvement of grating efficiency in the vacuum ultraviolet by platinizing—318(L)
—— (see Hinteregger, H. E.)—604
—— (see Zelikoff, Murray)—328(A), 756
—— **and Edward C. Y. Inn.** Intensity measurements in the vacuum ultraviolet—32
—— **and Murray Zelikoff.** Absorption coefficients of water vapor in the vacuum ultraviolet—329(A), 753
Watson, John T. Scatterometer—an application of the coronagraph principle in testing the quality of optical glass—328(A)
Webber, A. C. (see Billmeyer, F. W., Jr.)—69
—— **and F. W. Billmeyer, Jr.** Application of a color difference index to highly selective transparent specimens—1127
Wedaa, Henry W. (see Kretschmar, George G.)—526
Weidel, R. A. Optical characteristics of a 980:222 glass—540(L)
Weinstein, W. Oblique transmission factor of multilayer thin films—539(L)
Weissler, G. L. (see Lee, Po)—512
Weissmann, Sigmund (see Evans, Doris)—1183
Werner, G. K. Semi-automatic recording of wavelength data—620(L)
West, C. D. Electro-optic and related properties of crystals with the zinc blende structure—335(A)
—— (see Emerson, E. S.)—818(A)
Westfall, F. O. (see Corliss, C. H.)—329(A), 398
Wheeler, Burton W., Jr. (see Leistner, Karl)—44
Wheeler, C. M., Jr. (see Haendler, H. M.)—215(L)
White, John U. (see Carpenter, Robert O'B.)—329(A)
Whitney, James E. (see Brode, Wallace R.)—862
Wiener, Norbert. Optics and the theory of stochastic processes—225
Wiggins, T. A. (see Rank, D. H.)—157, 213(L), 707(L), 952
—— (see Shull, E. R.)—214(L)
—— **and D. H. Rank.** High resolution spectroscopy in the near infrared—330(A)
Wilks, Eileen M. Interferometric examination of polished diamond surfaces—84
Williams, F. C. (see Brewer, W. L.)—820(A)
—— **and F. R. Clapper.** Multiple internal reflections in photographic color prints—595
Willis, J. B. (see Walsh, A.)—989
Wilson, Earl A., Jr. (see Bair, Edward J.)—681
Wilson, Samuel W. (see Nimeroff, Isadore)—812(A)
Winans, J. G. (see Millar, G. H.)—609
Wise, John H. (see Bair, Edward J.)—681
Wolf, E. X_n and Y_n functions of Hopkins, occurring in the theory of diffraction—218(L)
Wolfe, Robert N. (see Higgins, G. C.)—820(A)
—— **and Fred C. Eisen.** Psychometric evaluation of the sharpness of photographic reproductions—914
—— **and Francis H. Milligan.** Relative photographic efficiency of certain light sources—791
Wolin, Samuel. Ray deflection through a medium having a continuously varying refractive index—373
Wolnick, S. J. (see Oliver, N. J.)—710(L)
Woodruff, Edythe P. and Harry D. Polster. Microbeam investigation of photoconductive cells—822(A)
Woodruff, J. F. (see Canody, Lillian J.)—145
Woodruff, Robert W. (see Polster, Harry D.)—326(A)
—— **and M. Parker Givens.** Soft x-ray absorption of tellurium—817(A)
Wormser, Eric M. Properties of thermistor infrared detectors—15
Wright, N. (see Herscher, L. W.)—980
Wright, W. D. (see Thomson, L. C.)—890
Wyman, George M. (see Brode, Wallace R.)—330(A), 862
—— (see Gould, John H.)—969

Yoder, P. R., Jr., and R. Boerner. Polishing agent for KRS-5 crystals—808(L)
——, **F. B. Patrick, and A. E. Gee.** Analysis of Cassegrainian type telescopic systems—811(A), 1200
——, **F. B. Patrick, and A. E. Gee.** Permitted tolerance on percent correction of paraboloidal mirrors—702
Young, I. G. (see Riseman, J.)—618(L)
Yudowitch, K. L. Recording radially symmetric scattering—50
Yule, J. A. C. (see Clapper, F. R.)—600

Zissis, G. J. (see Deverall, G. V.)—673
Zelikoff, Murray (see Watanabe, K.)—329(A), 753
—— **and K. Watanabe.** Absorption coefficients of ethylene in the vacuum ultraviolet—328(A), 756
Zipf, T. F. (see Peters, C. W.)—816(A)
Zoellner, W. G. (see Brooks, W. L.)—1191

Annual Subject Index to Volume 43

Key to Index use

1. **Subjects,** not titles, have been indexed.

2. **Contents** of papers (and abstracts of papers presented at meetings) have been indexed rather than a word breakdown of the title.

3. Principal subjects are given in **boldface** type. Cross-referenced subjects which should be consulted for a more thorough coverage are given in *italics* after the principal subject.

4. (A), (L), (B), (P), (N), (O), etc., indicate (A) Abstracts of meeting papers; (L) Letters to the Editor; (B) Book Reviews; (P) Personalia; (N) Notes; (O) Obituaries. In the case of abstracts of meeting papers, since several abstracts appear on the same page and often on the same or similar subject, the abstract number is also given. If the paper covered by the abstract has been submitted and published in the same year as the abstract, this has been indicated by a solidus (/) between the abstract notation and the Journal page of the full article, i.e., 264(A*67*)/589 indicates that the paper described in abstract No. *67* on page 264 has been published in full on page 589.

5. Subjects have been indexed in subdivisions according to key words with prepositions such as "on," "in," "of," "with," etc., included where essential for euphonious interpretation, but not affecting the alphabetical arrangement of the principal subject. In many cases, where obvious, these prepositions have been omitted.

Aberration
fifth-order — coefficients, 811(A*3*)
optical systems, 65(B)
Recognition Contrast Rendition measurements, 813(A*16*)
third-order lens, 356
third- and fifth-order spherical — and image sharpness, 325(A*3*)/827

Absorption (see also *Spectra*)
millimeter waves in dielectric solids, 1191
silicon monoxide film, 326(A*11*)

Aerosols
particle radius determined by polarization ratio of scattered light, 370

American Association of Spectrographers
symposium, emission spectroscopic determination of metals in non-metallic samples, Chicago, May, 1953, 149(N)

American Ceramic Society
Albert Victor Bleininger Award to Robert B. Sosman, 1953, 149(N)

American Chemical Society
Pittsburgh Analytical Chemistry Group and Pittsburgh Spectroscopy Society, conference
March, 1953, 542(N)
March, 1954, 826(N)

American Standards Association
nomenclature for Radiometry and Photometry Z58.1.1—1953, 809(N)
standard practice
for industrial lighting, 66(N)
for street lighting, 712(N)

Analysis (see also *Spectrochemical Analysis*)
instrumental, 1223(B)

Arcs (see *Sources*)

Aspherics
field correctors for astronomical telescopes, 811(A*2*)
produced by dropping process, 811(A*1*)

Astigmatism
axial — and aperture effect on theoretical limit of resolution, 813(A*15*)
contribution formula for — of narrow pencil of rays, 705(L)
Recognition Contrast Rendition measurements, 813(A*16*)

Astronomy
stars, 623(B)

Astrophysics
atmospheres of Earth and planets, 320(B)
solar spectrum by means of rocket spectroscopy, 245
symposium (University of Liège) Liège, September, 1951, 67(N), 624(N)

Atmospheric Optics
attenuation at Khartoum, Sudan, February, 1952, 405(L)
brightness of twilight sky, 113, 805(L)
moon
ultraviolet spectral radiant energy from, 328(A*23*)
polarization of sunlit sky, 184
reflection and diffraction from ice crystals in sky, 318(L)
scattering of light in direction of stellar source in Rayleigh atmosphere, 1158
stars
daylight visibility and spectral class, 806(L)
visibility of — during twilight, 177
transmission and attenuation coefficients, 97
vertical distribution of minor constituents of the earth's atmosphere, 1033
visibility of stars and planets during twilight, 177

Atomic Spectra (see *Spectra*)

Axicon
glass cone for universal focus lens, 328(A*21*)

Beckman Instrument Company
new factory and offices, Fullerton, California, 544(N)

Beckman DU Spectrophotometer
attachment for examination of liquid films, 767
compared with Cary Spectrophotometer in 210–760 mμ region, 862
modified — for fluorescent spectra measurements, 400

Beckman IR2T Spectrophotometer
helium atmosphere and effect on measurements, 330(A*37*)/969

Barthel, Christopher E., Jr.
elected chairman of the board of directors of the National Electronics Conference, 321(P)

Birefringence
orientation — in inorganic glasses, 818(A*45*)

Bolometer
theory of, 1
thermistor infrared, 15

Book Reviews
Animal Biochromes and Structural Colours. D. L. Fox. Reviewed by W. R. Brode, 1222(B)
The Atmospheres of the Earth and Planets. G. P. Kuiper, Ed. Reviewed by W. R. Brode, 320(B)
Colour—In Theory and Practice. H. D. Murry. Reviewed by W. R. Brode, 65(B)
Coloured Glasses. W. A. Weyl. Reviewed by W. R. Brode, 64(B)
Flying Saucers. D. Menzel. Reviewed by J. A. Hynek, 711(B)
Glass and W. E. S. Turner. E. J. Gooding and E. Meigh, Eds. Reviewed by C. H. Hahner, 65(B)

Imagerie Géométrique—Aberrations (Geometrical Imagery —Aberrations). A. Maréchal. Reviewed by I. C. Gardner, 65(B)
Introduction to Physiological Optics. A von Tschermak-Seysenegg (trans. by P. Boeder). Reviewed by K. N. Ogle, 431(B)
Die Lichtverteilung im Grossen in der Brennebene des Photographischen Objektivs (The Light Distribution on a Large Scale in the Focal Plane of the Photographic Objective). E. Wandersleb. Reviewed by M. Reiss, 64(B)
Opticks. I. Newton. Reviewed by H. E. Ives, 712(B)
Photometry. J. W. T. Walsh. Reviewed by W. E. K. Middleton, 1223(B)
Polarized Light in Metallography. G. K. T. Conn and F. J. Bradshaw. Reviewed by B. H. Billings, 320(B)
Selected Topics in Modern Instrumental Analysis. D. F. Baltz, Editor. Reviewed by W. R. Brode, 1223(B)
Some Recent Advances in Ophthalmic Optics. Reviewed by M. Alpern, 541(B)
La Spectroscopie (*Spectroscopy*). J. Terrien. Reviewed by E. C. Crittenden, 541(B)
Stars in the Making. C. Payne-Gaposchkin. Reviewed by G. Gamow, 623(B)
Theory of Electrons. L. Rosenfeld. Reviewed by J. M. Luttinger, 64(B)
Vision Through the Atmosphere. W. E. K. Middleton. Reviewed by E. O. Hulburt, 431(B)
Visual Lines for Spectroscopic Analysis. D. M. Smith. Reviewed by W. R. Brode, 321(B)
Brightness (see also *Luminance*)
twilight sky, 113
British Guiana Optometric Association
organized, 810(N)

Cady, Willoughby M.
necrology, 808(O)
Camera
fast spectrographic — design, 539(L)
schlieren system modified to study impinging jets in liquid stream, 526
Cary Spectrophotometer
compared with Beckman DU Spectrophotometer in 210–760 mμ region, 862
Cathode-Ray Tubes
chromaticity measurements with Hunter colorimeter, 335(A72)
monolayer fluorescent screens, 620(L)
Cells
dual beam heated infrared, 520
Chemical Abstracts
list of periodicals abstracted, 932(N)
Chemical Analysis (see also *Spectrochemical Analysis*)
optical methods in instrumental analysis, course at MIT, August, 1953, 431(N)
C.I.E. (see *International Commission on Illumination*)
CinemaScope
method of wide-angle photography, 818(A50)
Cinerama
process, 818(A51)
Coblentz, William W.
recipient of Annual Award of the Society for Applied Spectroscopy, 1953, 712(P)
special issue of the Journal of the Optical Society to honor —, November, 1953, 939
Color (see also *Colorimetry*)
animal — and structural formulae, 1222(B)
aptitude test, Intersociety Color Council, 431(N)
CIE chromaticity diagram
graphic method for additive mixture of two colors, 706(L)
CIE three-dimensional color model, 69
densitometry
interference filters used in, 324(A54)
differences
automatic calculation of — with IBM 602-A Calculating Punch, 550
index applied to highly selective transparent specimens, 1127
MacAdam and the Adams-Nickerson indexes compared, 334(A66)/501; errata, 1231
metamerism effect on color measurements with filter photometers, 812(A11)
size of acceptable, 581
flag of the United States, 810(N)
mixture
functions and choice of primaries, 333(A65)/533
graphic method for additive — of 2 colors on CIE chromaticity diagram, 706(L)
models, three-dimensional on CIE and Munsell systems, 69
pigments represented by three-dimensional model, 812(A10), errata, 1231
primaries and color-mixture functions, 333(A65)/533
quality control, 813(A13)
Science of, 321(N)
theory of, 65(B)
tolerance specification, 581
tritanomalous effect of — at small subtense, 812(A12)
Colorimeter
45-degree normal colorimeter compared with normal-diffuse spectrophotometer, 1141
tristimulus — for translucent media, 812(A7)
Colorimetry (see also *Color*)
C.I.E. chromaticity measurements with Hunter colorimeter, 335 (A72)
consulting services of Davidson and Hemmendinger, 221(N)
MacAdam and Adams-Nickerson indexes of color differences compared, 334(A66)/501
metamerism
effect on color measurements with filter photometers, 812(A11)
Munsell repaints specifications, 163
with normal-diffuse spectrophotometer compared with 45-degree normal colorimeter for semi-glossy specimens, 1141
ordinate integrations
truncated weighted, 622(L)
of semiglossy specimens, 333(A64)
specifications
of Munsell repaints, 163
spectrophotometric
propagation of errors, 531
truncated weighted ordinate integrations, 622(L)
tristimulus
photoelectric — of television picture tube screens, 335(A72)
Communication theory
microscope imagery as carrier, 848
relevant to optics, 229
spectroscopy, 336(A81)
information in a spectrum, 336(A81)/664
line widths, 658
Computers
digital — as research tool, 306
IBM 602-A Calculating Punch used for calculation of color differences, 550
IBM Model 604 applied to routine optical calculations, 327(A15)

Computers (continued)
optical problems
spot diagrams interpolated, 327(A16)
Conductivity
thermal
of noncubic crystals, 333(A58)
Crystals
barium titanate and thermal conductivity, 822(A71)
calcium fluoride containing sodium fluoride, 818(A46)
cesium iodide and thermal conductivity, 822(A71)/975
cuprous chloride
electro-optic and related properties, 335(A76)
electro-optic
cuprous chloride, 335(A76)
di-hydrogen phosphate crystal family, 335(A77)
zinc sulfide, 335(A76)
KRS-5 — and polishing agent, 808(L)
noncubic
thermal conductivity variation with temperature, 333(A58)
photosensitive — symposium, Paris, 1951, 625(N)
thallium halide mixed, 698
thallium and cesium halide mixed, 822(A72)
topaz cleavage, 747
water molecules in — studied by electromagnetic waves, 221(N)
zinc blende structure
electro-optic and related properties, 335(A76)

Day, Carl A.
elected vice-president in charge of manufacturing, Bausch & Lomb, 626(P)
Delano, Erwin
named head of the Lens Design Section, Bausch & Lomb Optical Company, 221(P)
Densitometer, Densitometry
automatic recording photographic, 1176
color — and interference filters, 322(A54)
double-beam — and comparator, 329(A32)
isophotal contour, 63(L)
photographic densities of molecular spectra in terms of excitation conditions in the source, 330(A38)/882
and spectroscopic intensities, 330(A38)/882
Diamond
polished — examined interferometrically, 84
Diffraction
energy distribution calculated for — grating, 816(A34)
Hopkins functions X_n and Y_n, 218(L)
from ice crystals in sky, 318(L)
polarization effects in — of light by a straight edge, 336(A82)
spherical vector waves by infinite half-plane, 641
symposium, Pittsburgh, November, 1953, 809(N)
Diffraction Gratings (see *Gratings*)
Dispersion
of standard air, 339

Echelle
spectra and measurement of wavelength, 90
Editorials
Coblentz Jubilee Issue, 939
symposium papers, Boston Meeting of the Optical Society, October, 1952, 223(E)
Editor's Page
546, 634, 714, 826, 938, 1126
Electrons
scattering and photoemission from cesium antimonide, 78
theory of, 64(B)

Electronic Computers (see *Computers*, also specific names of computers)
Emission (see *Spectra* and *Sources*)
Errata
color difference indexes compared, 1231
glass
heat flow through hot, 1231
interferometry
parallel pair of wire gratings, 409, 1231
fringes located electronically, 1231
Joint Commission for Spectroscopy, Transactions of Rome meeting, September, 1952; errata, 1231
Lyman presentation, 409, 1231
nonintermittent motion pictures
reduction of aberrations in rotating-prism compensators, 409, 1231
Optical Society of America program of Rochester meeting
abstract 10, 1231
abstract 34, 1231
abstract 74, 1231
photographic reproductions
psychometric evaluation of, 1231
spectra of plutonium isotopes, 409, 1231
spectrometer, photoelectric Raman, 409, 1231
Eye (see *Vision*)

Films, Metal Films, Thin Films
aluminum
phase and intensity measurements, 365
reflectance
increased by multilayer coatings of aluminum oxide and titanium dioxide, 326(A12)
visible region, 327(A13)
transmittance
visible region, 327(A13)
vapor incidence effect on structure of, 376
bismuth in the near infrared, 406(L)
copper evaporated, 819(A57)
deductive design method, 819(A56)
dimets
gold-magnesium fluoride, 326(A8)
gold-zinc sulfide, 326(A8)
bismuth-magnesium fluoride, 326(A8)
bismuth-zinc sulfide, 326(A8)
metal and semiconductor, 326(A8)
gold blacks
transmission and reflection measurements in far infrared, 1114
high-vacuum evaporation, 708(L)
mirror — for low visible and high infrared reflectance, 326(A10)
multilayer
analysis of — by linear recurrence equations, 728
to increase resolving power of interferometers, 819(A54)
oblique transmission factor, 539(L)
preparation and theory of, 927(L)
multiple oxide — produced anodically to increase reflectance of evaporated aluminum, 326(A12)
Pfund's method of measurement of the Brewsterian angle, 924(L)
production of
simultaneous evaporation of metal and semiconductor in vacuum, 326(A8)
silicon monoxide — in 0.4 to 14 μ region, 326(A11)
silver bromide polycrystalline, 407(L)
tellurium and soft x-ray absorption, 817(A43)
thickness of metallic — measured, 540(L)
titanium dioxide
selective reflector of near-infrared, 522
zinc sulfide — and refractive index, 326(A9)

Filters
all-dielectric interference, 327(A*14*)
interference — in color densitometry, 332(A*54*)
reflection
for visible and ultraviolet, 819(A*55*)
Fluorescence (see *Luminescence* and *Phosphors*)
Flying Saucers, 711(B)
observations and optical theory, 311, 315
Foote, Paul D.
awarded honorary Doctor of Science Degree, Carnegie Institute of Technology, 712(P)
Free Radicals
organic — produced by light, 283

Gatterer, Alois
necrology, 434(O)
General Electric Recording Spectrophotometer
new design, 812(A*8*)
compared with old design, 812(A*9*)
R-cam and ruler for dye control, 212(L)
Geometrical Optics
imagery
aberrations, 65(B)
Glass
arsenic trisulfide
infrared transmission of, 332(*A57*)
with different sulfide modifiers, 1153
thermal conductivity of, 822(A*71*)
colored, 64(B)
fracture thermally by hot air, 336(A*79*)
infrared, 1153
arsenic trisulfide, 332(A*57*)
with different sulfide modifiers, 1153
triaxial system of arsenic trisulfide, arsenic triselenide, and arsenic tritelluride, 823(A*76*)
selenium, 1153
inorganic
orientation birefringence, 818(A*45*)
optical
quality tested by scatterometer, 328(A*22*)
polishing mechanism determined by multiple beam interferometry, 335(A*78*)/743
sphere, optical functions, 432(N)
and W. E. S. Turner, 65(B)
x-ray absorbing
PbO—WO_3—P_2O_5 system with CdO and TiO_2, 540(L)
Glass
image distinctness measured, 334(A*69*)
spectrophotometry and colorimetry of — and semiglossy paints, 333(A*64*)
Goniophotometer
recording, 334(A*70*)
Goniophotometry
diffuse reflectance standards in 0.8 to 20.0 μ, 823(A*78*)/999
skin reflectance and transmittance measured, 334(A*68*)/993
Gratings
blanks, film thickness measurement, 540(L)
concave
blaze, 816(A*36*)
diffraction
characteristics by simplified phase contrast methods, 572
echelette
microwave measurements of intensity distribution of, 816(A*37*)
energy distribution calculated, 816(A*34*); errata, 1231
modified Guild Method ("wave shearing" technique), 335(A*73*)
reflection
theory of, 408(L)
transmission
blaze properties of, 335(A*74*)
rectilinear, 335(A*75*)
Wadsworth mounting, 706(L)
wire — design, 1221(L)

Harnwell, Gaylord P.
named President, University of Pennsylvania, 712(P)
Harrison, George R.
awarded the Elliott Cresson Medal of the Franklin Institute, 932(P)
Hayes, John D.
appointed acting head of photographic lens design department, Bausch & Lomb Optical Company, 221(P)
Henisch, N. K.
lecture series on semiconductors, 312(P)
Higgins, George C.
awarded Davanne Medal, 1953, 1124(P)
Hubble, Edwin Powell
necrology, 1227(O)
Hunterlab
consulting and research services, 1124(N)
and diapoint errors, 325(A*2*)
of fifth order calculated, 811(A*3*)
sharpness and third- and fifth-order spherical aberration, 325(A*3*)/827
stigmatic at high orders with plane grating spectrograph, 817(A*38*)
Hyzer, William G.
established high-speed motion picture photography business, 1124(P)

IBM Model 604 Electronic Calculator
applied to routine optical calculations, 327(A*15*)
I.C.I. (see *International Commission on Illumination*)
Illumination
of color transparencies, 334(A*71*)/689
industrial — and new A.S.A. practice, 66(N)
in sensitometer
lens placed between source and illuminated surface, 704(L)
Illuminating Engineering Society
committee on aviation lighting, technical conference, October, 1953, 1229(N)
sponsor of American Standards Association new practice for industrial lighting, 66(N)
Image
aberrations, 65(B)
third- and fifth-order and image sharpness, 325(A*3*)/827
analysis, 704(L)
contrast and effect of primary astigmatism, 325(A*5*)
energy distribution
estimated by spot diagram, 327(A*16*)
measured and calculated — compared, 327(A*19*)
errors
astigmatic — in grating spectrograph, 325(A*6*)
characteristic function, 814(A*21*)
irradiance, 1205
Interferometer, Interferometry
bidirectional electronic counter, 839
Fabry-Perot
wave-number measurement in infrared, 1170
filters
in color densitometry, 322(A*54*)
fringes located electronically, 668; errata, 1231
grating, 813(A*18*)

Interferometer, Interferometry (continued)
Mach-Zehnder
adjustment of — for white-light fringes, 408(L)
and generalized vector theory, 71
multilayer films in, 927(L)
multiple-beam
fringes of equal chromatic order
phase change, 738
mechanism of polishing glass, 335(A78)/743
cleavage of topaz, 747
Perot-Fabry
optimal spacers, 673
of polished diamond surfaces, 84
resolving power increased with multilayer films, 819(A54)
for thick plates, 823(A77)
Twyman-Green
power compensation in testing optical components in, 813(A19)
wavelength measurement
in near infrared, 213(L), 330(A41)(A42)/952
by reversible fringe counting, 505
International Commission of Optics
meeting, Madrid, April 1953, 68(N), 433(N), 931(N)
minutes of the third congress, 1223(N)
International Commission on Illumination (C.I.E), (I.C.I.)
International Union of Pure and Applied Physics
symposium on optical problems of vision, April, 1953, 68(N), 433(N)
Instruments (see *Colorimeters, Spectrometers,* etc.)
device for simulating visual displays of PPI scopes, 1143
Industrial Spectroscopy Group panel in direct reading emission spectroscopy, 543(N)
Institute of Physics, London
Infrared Spectra (see *Spectra*)
Infrared (see *Absorption, Transmission, Spectra,* and *Spectrometers*)
Ives, Herbert E.
necrology, 1228
Ives Medal
presented to H. M. Randall, Rochester meeting, October, 1953, 1126(N)

James, T. Howard
awarded Davanne Medal of the French Photographic Society, 1952, 626(P)
Joint Commission for Spectroscopy
Transactions of Rome Meeting, September, 1952, 410; errata, 1231
Jones, Ernest J.
necrology, 808(O)
Joshi Effect
negative, 804(L)
Junkes, Joseph
Director of the Astrophysical Laboratory, Vatican Observatory, 626(P)

Klein, A. Albert
necrology, 1124(O)
Klick, Clifford C.
named head of Luminescent Section, Chemistry Branch, Metallurgy Division, Naval Research Laboratory, 626(P)
Kurtz, John C.
necrology, 221(O)

Lamp
electrodeless metal-halide, 329(A28)/398

Lens, Lenses
axicon or glass cone, 328(A21)
distortion variation with magnification, 328(A20)
energy distribution
in the focal plane of photographic objective, 64(B)
measured and calculated — compared, 327(A19)
flare of, 53
glass cone or axicon, 328(A21)
image
contrast and primary astigmatism, 325(A5)
energy distribution
focal plane of photographic objective, 64(B)
measured and calculated compared, 327(A19)
errors and diapoint errors, 325(A2)
sharpness and third- and fifth-order spherical aberration, 325(A3)/827
long focal length
third-order methods applied to zonal aberrations of, 356
multi- — system
compensation of flexure, 836
photographic
NBS publication on resolving power of, 634(N), 714(N), 933(N)
system
silver chloride beam condensing — for micro infrared measurements, 777
optimal — systems computed, 325(A1)
photographic — performance evaluated, 327(A17)/685
telephoto, 923(L)
inverted — and aspherics, 325(A4)
test data evaluated by IBM Model 604 Electronic Calculator, 327(A15)
testing bench, 44
universal focus — approximated by axicon, 328(A21)
Levin, Aaron A.
Director of Research and Development, Zenith Optical Company, 626(P)
Light (see also *Sources* and *Spectra*)
organic free radicals produced by, 283
reflected
in direction of stellar source in Rayleigh atmosphere, 1158
scattering
in direction of stellar source in Rayleigh atmosphere, 1158
Mie theory of, 49
thermodynamical considerations of, 138
traveling in Riemann space, 336(A80)
vector light field
diffraction by infinite half-plane, 641
Light Source (see *Sources* and *Spectra*)
Luminance (see *Brightness*)
Luminescence
fluorescence
screens for cathode-ray tubes, 620(L)
spectra measured by modified Beckman DU spectrophotometer, 400
x-ray — spectrometer, 769
mercury line 1849 and energy conservation, 329(A29)
Lyman, Theodore
honored at Boston Meeting of the Optical Society, October, 1952, 224; errata, 409

McKinley, Lysle B.
elected vice-president, Scientific Sales, Bausch & Lomb, 626(P)
Mees, C. E. K.
awarded 1952 Progress Medal of Royal Photographic Society of Great Britain, 321(P)

Meggers, William F.
awarded Elliott Cresson Medal of the Franklin Institute, 1953, 932(P)
Merrill, Paul W.
retired from Mount Wilson and Palomar Observatories, 149(P)
Metamerism
effect on color measurements with filter photometers, 812(A*11*)
Microphotometer (see *Densitometer*)
Microscope (see also *Microscopy*)
infrared — attachment for Perkin-Elmer spectrometers, Models 12, 112, and 13, 984
imagery as carrier communication, 848
infrared — attachment, 984
phase contrast, 544(N)
ultraviolet, 299
reflecting
for infrared absorption measurements, 929(L)
ultraviolet — of refracting type, 299
x-ray scanning, 61(L)
Microscopy
electron
course, Cornell University, June, 1953, 432(N)
interference
multiple beam — and quantitative cytology, 326(A*7*)
Mirrors (see also *Films* and *Reflection*)
paraboloidal
permitted tolerance on percent correction, 702
searchlight — made by dropping process, 811(A*1*)
Monochromator
Littrow-type
scattered light reduced in, 58(L)
multiple
application to infrared, visible, and ultraviolet spectroscopy, 989
design of double beam, 215(L)
Moulton, Forest Ray
necrology, 149(O)

National Science Foundation
sponsor of photoelectricity conference, Lowell Observatory, Flagstaff, Arizona, 1953, 933(N)
Necrology
Cady, Willoughby M., 808(O)
Gatterer, Alois, 434(O)
Hubble, Edwin Powell, 1227(O)
Ives, Herbert E., 1228
Jones, Ernest J., 808(O)
Klein, A. Albert, 1124(O)
Kurtz, John C., 221(O)
Moulton, Forest Ray, 149(O)
Radford, Lawrence, 1227(O)
Shaftan, Kenneth, 808(O)
Wright, Fred E., 1228(O)

O'Brien, Brian
appointed vice-president for research at American Optical Company, Southbridge, 221(P)
Optica Acta
establishment of, 638(N)
Optical Crystals (see *Crystals*)
Optical Instruments (see *Instruments, Colorimeters, Spectrophotometers,* etc.)
for quality control, 66(N)
Optical Society of America
annual reports for, 1952
editor of publications, 628
secretary, 629
treasurer, 632
local section news
Chicago Section's officers for 1953–4, 634(N)
Detroit Section's officers for 1953–4, 634(N)
New England Section
meeting, December 1952
abstracts of papers presented, 219(N)
and the National Society meeting, October, 1952, 165(N)
OSA traveling lecturer in midwest, 219(N)
medals
Ives Medal awarded to H. M. Randall, 1953, 1126(N)
Tillyer Medal established, 324(N)
meetings
March, 1953, New York
abstracts of papers presented, 325
minutes of meeting of Board of Directors, 627
proceedings, 324
October, 1953, Rochester, 714(N), 826(N)
abstracts of papers presented, 811
minutes of meeting of Board of Directors, 1230(N)
proceedings, 1126(N)
officers
notice of election of, 323(N)
secretary for local sections
appointment of Norman Barnes, 1953, 714(N)
resignation of Stanley S. Ballard, 714(N)
nominations for — for 1953 elections, 714(N)
publications
Science of Color, 321(N)
Optical Systems
apparent magnification in out-of-focus images, 60(L)
curved slits and experimental performance, 1174
Fourier treatment of, 704(L)
image irradiance and distribution of light, 1205
modulation function, 821(A*68*)
photoelectric resolution and contrast data for primary aberrations, 813(A*16*)
ray tracing through, 813(A*14*)
resolution affected by aperture and axial astigmatism, 813(A*15*)
Optics, 712(B)

Parageometrical Optics
fundamental law extended to curved surface of any type, 368
Periodically Stratified Media
all-dielectric interference filter, 327(A*14*)
Perkin-Elmer Infrared Spectrophotometer (Model 13), 433(N)
elimination of atmospheric water vapor absorption, 929(L)
infrared microscope attachment, 984
Perkin-Elmer Monochromator
Personalia
Barthel, Christopher E., 321(P)
Coblentz, William W., 712(P)
Day, Carl A., 626(P)
Delano, Erwin, 221(P)
Foote, Paul D., 712(P)
Harnwell, Gaylord P., 712(P)
Harrison, George R., 932(P)
Hayes, John D., 221(P)
Henisch, N. K., 321(P)
Higgins, George C., 1124(P)
Hyzer, William G., 1124(P)
James, T. Howard, 626(P)
Junkes, Joseph, 626(P)
Klick, Clifford C., 626(P)
Levin, Aaron A., 626(P)
McKinley, Lysle B., 626(P)
Mees, C. E. K., 321(P)

Personalia (continued)
Meggers, William F., 932(P)
Merrill, Paul W., 149(P)
O'Brien, Brian, 221(P)
Salpeter, Ernest, 626(P)
Sandvik, Otto, 544(P)
Schulman, James H., 626(P)
Sosman, Robert B., 149(N)
Tronnier, A. W., 712(P)
Webb, Julian H., 544(P)
Phase Contrast
applied to study of diffraction grating characteristics, 572
microscope, 299
Phosphorescence (see *Luminescence* and *Phosphors*)
Phosphors
calcium silicate, 318(L)
electroluminescent
dielectric changes during illumination, 590
electron trapping states in, 196
optical properties of, 336(A*84*)
powdered — and quantum efficiencies, 818(A*47*)
quantum efficiencies, 336(A*84*)
zinc sulfide
sensitization of, 320(L)
zinc sulfo-selenide, copper activated, 590
Photoconductivity
of indium selenide, 1209
measurements of silver bromide polycrystalline film, 407(L)
sensitivity of surface of lead sulfide cells investigated with microbeam, 822(A*74*)
Photoelectric Effect
cesium antimonide, 79
cesium telluride, 81
conference (National Science Foundation), Lowell Observatory, Flagstaff, Arizona, 1953, 933(N)
rubidium telluride, 81
Photogrammetry
award established by Bausch & Lomb, 220(N)
Photographic Emulsions (see also *Photography*)
calibration curves
SAI emulsions, 821(A*64*)
stray light in spectrographs on, 821(A*65*)
density and spectroscopic intensities, 330(A*38*)
density preliminary curves for SAI emulsions, 821(A*64*)
evaluation by psychometric method, 821(A*69*)
grain
information theory, 271
signal-to-noise ratio, 271
latent-image formation measured directly, 336(A*83*)
resolving power
definition related to sharpness and, 820(A*62*)
as function of wavelength, 821(A*67*)
test object
type of pattern and luminance ratio, 780
symposium, Paris, 1951, 625(N)
ultraviolet-sensitized, 512
Photographic Objectives (see *Lenses*)
Photography (see also *Photographic Emulsions* and *Photogrammetry*)
air, 290
color, 930(B)
print
multiple internal reflections, 595
color transparency
illuminator, 334(A*71*)/689
image
white light — evaluated, 821(A*67*)
lenses
distortion variation with magnification, 328(A*20*)
energy distribution
in focal plane of photographic objective, 64(B)
measured and calculated compared, 327(A*19*)
and lens-film performance, 327(A*18*)
contrast reduction, 327(A*18*)
performance evaluated, 327(A*17*)/685
resolving power of, 634(N), 714(N), 933(N)
light sources and relative photographic efficiency, 791
materials evaluated by psychometric methods, 332(A*53*)
print
color
multiple internal reflections, 595
half tone
multiple internal reflections and densities, 600
for measurement of intensity of x-ray diffraction spots, 1183
sharpness evaluated psychometrically, 914, errata, 1231
schlieren system modified to study impinging jets in liquid stream, 526
subtractive-color-process film images
equivalent-neutral-density calibration
definitions and basic concepts, 820(A*58*)
densitometer calibrations, 820(A*60*)
primary equivalent neutral densities determined, 820(A*59*)
role of masks, 820(A*61*)
symposia (Royal Photographic Society of Great Britain), London, September, 1953, 67(N)
underwater
refractive limitations on resolving power, 821(A*66*)
wide-angle — and CinemaScope method, 818(A*50*)
Photometer, Photometry, 1123(B)
American Standards Association nomenclature, Z58.1.1—1953, 809(N)
applied — with special reference to gonio types, 330(A*35*)
flicker — for quantitative industrial control, 334(A*67*)
latent-image formation measured directly, 336(A*83*)
photosensitive crystals, colloquium, Paris, 1951, 625(N)
physical methods, 330(A*36*)
telephotometer, 336(A*85*)
units, 330(A*34*)
Phototube
cesium antimonide and electron scattering, 78
cesium telluride, 81
differential — for vacuum ultraviolet, 328(A*25*)/604
germanium, 239
lead sulfide as type II detector, 333(A*60*)/1008
in Raman spectroscopy, 1211
rubidium telluride, 81
sensitivity of lead sulfide investigated with microbeam, 822(A*74*), errata, 1231
Physics Abstracts
subscription to, 289(N)
Physiological Optics
introduction to, 431(B)
Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy
Pittsburgh, March, 1953, 542(N)
Pittsburgh, March, 1954, 826(N)
Pittsburgh Spectroscopy Group
conference with Pittsburgh Analytical Chemistry Group of the American Chemical Society, Pittsburgh
March, 1953, 542(N)
March, 1954, 826(N)
Polarization (see also *Polarized Light*)
diffraction of light by straight edge, 336(A*82*)
light control, 149(N)
ratio of scattered light in determining particle radius, 370
of sunlit sky, 184

Polarized Light (see also *Polarization*)
in metallography, 320(B)
three-dimensional presentation with, 818(A*49*)
Polarizer (see *Polarization*)
Prism
cesium iodide for far infrared spectrometry, 212(L), 333(A*59*)/977
roof — tested, 814(A*20*)
Psychophysics (see also *Vision*)
photographic materials evaluated, 332(A*53*)
Pyrometer
fast, electro-optical, hot gas, 609

Quantum Electrodynamics, 237

Radford, Lawrence
necrology, 1227(O)
Radiant Energy, Radiation (see also *Light*)
blackbody
nomogram for the evaluation of, 380, 383
Čerenkov — from Co^{60} source in water, 750
detector
bolometer and theory of, 1
lead sulfide photoconductive cell, 333(A*60*)/1008
electrically exploded wires, 817(A*42*)
formulas and wave number use, 957
infrared
thermistor detectors, 15
mass-energy relationship, 618(L)
radially symmetric — recorded, 50
solar
penetration into human blood serum, 337(A*86*)
from spherical globe, 923(L)
of surface sources, 817(A*41*)
ultraviolet spectral distribution from moon, 328(A*23*)
vacuum ultraviolet
measured with compensated thermocouple, 32
photoelectric cells for detection, 604
Radiometer, Radiometry
American Standards Association nomenclature, Z58.1.1—1953, 809(N)
calibration for extended-source measurements, 547
filter — and its applications, 971
measuring circuit for, 819(A*52*)
Raman Spectra (see *Spectra*)
Range Finders
unsymmetrical — and cross-field error, 813(A*17*)
Ray Tracing
automatic
by IBM Model 604 Electronic Calculator, 327(A*15*), 327(A*6*)
by IBM Card-Programmed Calculator, 811(A*5*)
through conoid refracting surfaces, 811(A*5*)
through medium with continuously varying refractive index, 373
through optical system, 813(A*14*)
Recognition Contrast Rendition Apparatus
measurement of effect of primary astigmatism on contrast of image of Foucault test object, 325(A*5*)
Reflectance (see *Reflection*)
infrared
diffuse — in range 0.8 to 20 μ, 823(A*78*)/999
of gold blacks and conductance and relaxation time of electrons, 1114
luminous directional — of snow, 621(L)
of skin measured by goniometric spectrometer, 334(A*68*)/993
snow, 621(L)
standards in range 0.8–20.0 μ, 823(A*78*)/999
ultraviolet (1140–1190 A) by open air method, 1166

Reflection
aluminum films, 376
evaporated — increased by multilayer coatings of aluminum oxide and titanium dioxide, 326(A*12*)
visible region, 327(A*13*)
filters for visible and ultraviolet, 819(A*55*)
from ice crystals in sky, 318(L)
infrared
from free liquid surfaces, 1–15 μ region, 823(A*75*)
magnesium oxide, 333(A*61*)
mirror coatings for high, 326(A*10*)
silicon monoxide films, 326(A*11*)
titanium dioxide films, 522
magnesium oxide powder for infrared, 333(A*61*)
of magnesium oxide in near infrared, 58(L)
multiple internal — in photographic color prints, 595
paraboloidal
new line board test for, 347
reflex- —, 432(N)
stray light of lens system caused by, 53
titanium dioxide films for near-infrared, 522
visible
mirror coatings for low, 326(A*10*)
x-ray — for examination of surfaces, 618(L)
Reflectometer
Refraction
toxic wave fronts, 406(L)
Refractive Index
air at 1.65 μ, 952
calculated from reflection from free liquid surfaces in 1–15 μ region, 823(A*75*)
in millimeter region of polystyrene, Plexiglas and paraffin, 1191
of potassium bromide for infrared, 110
ray deflection through medium with continuously varying, 373
zinc sulfide films, 326(A*9*)
Refractometer
Jamin — and fiduciary fringes, 319(L)
Relativity
ether existence, 217(L)
velocity of light and binary stars, 635
Resolution
photoelectric — and contrast data for primary aberrations, 813(A*16*)
theoretical limit affected by aperture and axial astigmatism, 813(A*15*)
Richerche Spettroscopiche
issued by the Astrophysical Laboratories of Specola Vaticana, 322(N), 432(N)
Riemann Space
astronomical optics, 336(A*80*)
Royal Photographic Society of Great Britain
centenary celebration
conference on science and applications of photography, September, 1953, 67(N), 543(N)
1952 Progress Medal awarded to C. E. K. Mees, 321(P)
Royal Spanish Society of Physics and Chemistry
Golden Jubilee, Madrid, April, 1953, 808(N)

Salpeter, Ernest
Assistant Director, Astrophysical Laboratory, Vatican Observatory, 626(P)
Sandvik, Otto
appointed head of Physics Division, Research Laboratories, Eastman Kodak Company, 544(P)
Scattering
electron
photoemission from cesium antimonide, 78

Scattering (continued)
light
functions for spherical particles of refractive index of 2, 49
particle radius determined by polarization ratio, 370
Mie — functions for spherical particles, 1221(L)
multiple — and diffusely reflected light in direction of stellar source in Rayleigh atmosphere, 1158
radially symmetric — recorded, 50
stray light of lens system caused by, 53
Scatterometer
quality of optical glass tested, 328(A*22*)
Schulman, James H.
head of Chemistry Branch, Metallurgy Division, Naval Research Laboratory, 626(P)
Shaftan, Kenneth
necrology, 808(O)
Sosman, Robert B.
received Albert Victor Bleininger Award, 1953, 149(P)
Semiconductor
cesium antimonide photoemission and electron scattering, 78
cesium telluride photoemission, 81
rubidium telluride photoemission, 81
Sensitometry
illumination reduced by lens placed between source and illuminated surface, 704(L)
Sources (see also *Light Sources*)
arc
Bausch & Lomb hydrogen, 432(N)
carbon
as infrared source, 619(L)
dc — and effect of different atmospheres on electrode temperatures, 817(A*40*)
electrodeless metal-halide lamps for atomic spectra of metals, 329(A*28*)/398
extended- — measurements and radiometer calibration, 547
infrared
carbon arc, 619(L)
light
A, B, and C standard — of CIE, 172
relative photographic efficiency, 791
spark discharge
short period, 257
vacuum
triggered by helium gas injection, 151, 804(L)
and relative time dependence of emission of line and background, 151, 804(L)
surface — and radiation characteristics, 817(A*41*)
wires electrically exploded, 817(A*42*)
Spark (see *Light Sources, Sources,* and *Spectra*)
Spectra (see also *Raman Spectra, X-Rays* and *Zeeman Spectra*)
auroral — at Point Barrow, Alaska, 710(L)
explosion — of gases, 331(A*46*)
Atomic, Absorption, Vacuum Ultraviolet
metallic selenium, 818(A*48*)
Atomic, Emission
aluminum, 816(A*33*), 804(L)
argon, 1020
beryllium, 329(A*30*)
carbon, 816(A*33*)
energy levels and nuclear structure, 233
hydrogen α line self reversal, 394
metals using an electroless metal-halide lamp, 329(A*28*)/398
oxygen I, fine structure of the ($^4S°$)$3p$ ^3P term, 510
oxygen-18 isotope shift, 103
peak and total intensities
Doppler contour, 219(L), 380
Lorentz contour, 383
combined Doppler and Lorentz broadening, 385
plutonium isotopes, 216(L), errata, 409, 1231
ruthenium and Zeeman effect, 816(A*32*)
solar, 245
thorium 230 and thorium 232 and isotope shifts, 36
Atomic Emission, Infrared
aluminum, 1014
carbon, 1014
iron, 1014
lanthanum, 331(A*44*)
magnesium in near infrared, 1030
mercury in 1.3–2.0 μ, 1027
multiplets and the solar spectrum, 1014
nitrogen, 1014
oxygen, 1014
silicon, 1014
sodium, 1014
titanium, 1014
zirconium, 1024
Molecular, Absorption, Infrared
acetic acid, ordinary and deuterated, 1102
aliphatic acids, 1054
allene and allene-d_4 in 3–5.2 μ region, 1065
ammonia, 1053
anthraxylon constituent of bituminous coal, 1051
arsine and deuterated arsine, 1096
living bacteria, 1093
brucite (magnesium hydroxide), 1100
carbon dioxide, 1037
carbon monoxide, 822(A*73*)
in atmosphere at the Jungfraujoch, 1119
cellulose char, 1051
diatomic molecules, 1037
diiodomethane, 1061
homologous compounds, 1054
methane, 1033
forbidden transition ν_2, 1058
$2\nu_3$ band's fine structure, 707(L)
vibrational and rotational constants, 1045
methyl bromide, 157
methyl esters of aliphatic acids, 1054
methyl iodide highly resolved, 330(A*42*)
nitrogen dioxide in 1.4–3.4 μ region, 1045
nitrogen monoxide (NO), 331(A*45*)
nitrous oxide (N_2O), 1033
nucleic acids, 1093
nucleoproteins, 1093
pentachloroethane, 1071
phosphine and deuterated phosphine, 1096
polyatomic molecules, 1037
propylene and propylene-d_6, 1079
proteins, 1093
solid organic samples, 806(L)
sugar char, 1051
tetrachloroethane, 1071
trichloroacetic acid, ordinary and deuterated, 1102
trideuterated methane, 330(A*42*)
trifluoroacetic acid, ordinary and deuterated, 1102
tubercle bacilli, 1086
viruses, 1086
Molecular, Absorption, Ultraviolet
conjugated organic molecules, 252
solar, 245
vacuum
ethylene, 328(A*24*)/756
nitrogen oxide, 1186
ozone, 329(A*26*)/870
water vapor, 329(A*27*)/753

Molecular, Absorption, Visible
ozone, 870
Molecular, Emission
explosion phenomena, 389
produced by carbon flame method, 345
Molecular, Emission, Infrared
hydrogen-fluorine flame, 1106
vacuum tube technique, 619(L)
Raman
ammonia, 352
fluoroform, 352
nitrogen, 352
oxygen, 352
Reflection
apparatus for automatic recording of, 516
Spectrochemical Analysis
direct reading, 886
infrared spectrometer for chemical process streams, 980
intensity influenced by varying amounts of elements in steel and cast irons, 145
International Conference, Venice, 1951, proceedings, 624(N)
iron, 145
metals in non-metallic samples, symposium (American Association of Spectrographers), Chicago, May, 1953, 149(N)
sensitive visual lines, 321(B)
steel, 145
symposium, metals in non-metallic samples (American Association of Spectrographers), Chicago, May, 1953, 149(N)
Spectrochemical Research Center of the Italian Metallurgical Association
conference on spectrochemistry, Venice, September, 1951, 624(N)
Spectrograph, Spectrography
camera
fast — design, 539(L)
echelle, 544(N)
wavelength measurement, 816(A*35*)/853
grating
astigmatic errors compensated, 325(A*6*)/593
orders separated using prism spectrograph as predispersor, 817(A*39*)
stigmatic plane — for high orders, 817(A*38*)
stray light effect on emulsion calibration curves, 821(A*65*)
infrared
vacuum, 330(A*40*)
prism
fast — using multiple passing, 332(A*56*)
predispersor to separate orders in grating spectrographs, 817(A*39*)
stray light effect on emulsion calibration curves, 821(A*65*)
recording cine, 329(A*31*)
vacuum
infrared, 330(A*40*)
Spectrographic Analysis (see *Spectrochemical Analysis*)
Spectrometer, Spectrometry, Spectrophotometer, Spectrophotometry (see also *Photometry*, and trade names of spectrometers and spectrophotometers)
cathode-ray indicating, 773
comparison of — in 210–760 mμ region, 862
consulting services of Davidson and Hemmendinger, 221(N)
direct-recording, 886
for analysis, 886
Ekert-type — with curved slits, 1174
fluorescence
multi-wavelength x-ray, 769
General Electric Recording, 812(A*8*)
new and old design compared, 812(A*8*), 812(A*9*)
goniometric — for diffuse reflectance and transmittance of skin, 334(A*68*)
grating
concave- — kinematically focused, 681
infrared
analyzer for chemical process streams, 980
automatic recording and choice of scales, 960
Beckman and helium atmosphere, 330(A*37*)/969
with cesium iodide prism, 212(L), 333(A*59*)/977
double-beam double-pass, 807(L)
flushed continuously with dry nitrogen, 705(L)
gas cell for Perkin-Elmer Model 21, 520
gas-phase kinetic studies with, 710(L)
goniometric
skin measurements, 993
standards in 0.8 to 20.0 μ region, 823(A*78*)/999
intensity-compensating system, 873
micro
silver chloride beam condensing lens system, 777
microscope attachment, 984
multichannel 100 to 1000 μ, 333(A*62*)
Perkin-Elmer Model 13 direct ratio-recording, 433(N)
prism
calibration of, 941
ratio-recording — with double-pass monochromator, 709(L)
sampling technique using pressed potassium bromide disks, 712(N)
solvents for, 221(N)
variable thickness cell for liquids, 212(L)
windows of alkali halide, 928(L)
multislit multipass, 58(L), 333(A*63*)
Perkin-Elmer Infrared
elimination of atmospheric water vapor absorption, 929(L)
prism
infrared
calibration of, 941
Raman
photoelectric
Perkin-Elmer Infrared instrument converted to grating, 126, 708(L); errata, 409
photographic instrument converted, 119; errata, 409
scale calibration, 760
of semiglossy specimens, 333(A*64*)
split-beam, single detector, automatic recording, 87
stray light
elimination of scattered, 924(L)
ultraviolet
ratio recording double-beam, 866
solvents for, 221(N)
Unicam double-beam, 433(N)
Spectroradiometer
automatic recording, 819(A*53*)
Spectroscopy, 541(B)
carbon flame, 345
combustion processes, 389
communication theory
information in a spectrum, 336(A*81*)/664
line widths, 658
echelle
wavelength measurement, 90, 816(A*35*)/853
emission
Group, Institute of Physics, London, 543(N)
panel for direct reading —, Industrial Spectroscopy
fluorescent — with modified Beckman DU, 400
industrial — course at Boston College, July, 1953, 431(N)

Spectroscopy (continued)
infrared
bacteriological research, 1086
biologic materials, 1093
cesium iodide prism, 333(A59)/977
1953, 322(N)
course at Massachusetts Institute of Technology, July
flame spectra of hydrogen fluorine, 1106
photometer, 330(A37)
helium atmosphere's effect in Beckman IR-2T spectro-
high resolution, 214(L)
1953, 634(N), 712(N)
Institute, Fisk University, Nashville, Tennessee, summer,
330(A41)(A42)/952
interferometric wavelength measurement, 213(L),
noise filter effects, 1216
recording of optical density versus linear frequency, 960
recovering of samples, 806(L)
resolving power and noise, 877
330(A41)(A42)/952
wavelengths determined interferometrically, 213(L),
330(A38)/882
intensity and photographic density of molecular spectra,
molecular
symposium
Ohio State University, June, 1953, 149(N), 432(N)
Paris, June, 1953, 149(N), 934(N)
Raman
photomultipliers in, 1211
reflection
apparatus for automatic recording, 516
rocket, 245
symposium
applied and analytical chemistry (Pittsburgh Section,
American Chemical Society — Spectroscopy So-
ciety of Pittsburgh)
March, 1953, 542(N)
March, 1954, 826(N)
molecular
Ohio State University, June, 1953, 149(N)
Paris, June, 1953, 149(N), 221(N), 934(N)
time-resolved — with pulsed photomultipliers, 330(A39)
ultraviolet
reflectance measurements in 1140–1190A region by open
air method, 1166
vacuum, 32, 318(L)
differential phototubes for, 328(A25)
intensity measurements, 32, 318(L)
wavelength measurements in infrared by interferometric
techniques, 330(A41)(A42)
Standards
development and maintenance, symposium, National Physi-
cal Laboratory, May, 1951, 625(N)
potassium chromate in potassium hydroxide for spectro-
photometric comparison in ultraviolet region, 862
reflectance in 0.8–20.0 μ range, 999
Tropex glass for comparison of spectrophotometers in
visible region, 862
wavelength
modulated white light interference fringes, 822(A70)
Stereoscope
Doberly's color — for black and white diapositives,
820(A63)
Stochastic Processes, 225
Symposia
analytical chemistry
(American Chemical Society-Pittsburgh Spectroscopy
Society) Pittsburgh
March, 1953, 542(N)
March, 1954, 826(N)
atmospheric optics (University of Liège), Liège, Belgium,
September, 1951, 67(N), 624(N)
CinemaScope method of wide-angle photography, 818(A50)
Cinerama process, 818(A51)
diffraction, Pittsburgh, November, 1953, 809(N)
emission spectroscopic determination of metals in non-
metallic samples (American Association of Spectrogra-
phers), Chicago, May, 1953, 149(N)
light and vision research (Illuminating Engineering Society
and University of Michigan), Ann Arbor, June, 1953,
809(N)
molecular spectroscopy and molecular structure
Ohio State University, June, 1953, 149(N), 432(N)
Paris, June, 1953, 149(N), 221(N), 934(N)
photoelectricity (National Science Foundation), Lowell
Observatory, Flagstaff, Arizona, 1953, 933(N)
photography (Royal Photographic Society of Great Brit-
ain), London, September, 1953, 67(N)
photosensitive crystals and photographic emulsions,
Paris, 1951, 625(N)
spectrochemistry (Spectrochemical Research Center of
the Italian Metallurgical Association), Venice, Sep-
tember, 1951, 624(N)
spectroscopy
applied (American Chemical Society-Pittsburgh Spec-
troscopy Society), Pittsburgh
March, 1953, 542(N)
March, 1954, 826(N)
standards
development and maintenance, National Physical Lab-
oratory, May, 1951, 625(N)
three-dimensional presentation, 818(A49)
vision (Ohio State University), June, 1953, 937(N)
vision and optical problems (International Union of Pure
and Applied Physics), Madrid, April, 1953, 68(N),
433(N)
water molecules in crystals studied by electromagnetic
waves, Paris, June 24–26, 1953, 221(N)

Technical Calendar, 68(N), 149(N), 222(N), 322(N),
434(N), 544(N), 626(N), 713(N), 810(N), 937(N),
1125(N), 1229(N)
Technical Publications
Baird Associates, Inc., Better Analysis, Vol. 4, No. 1, on
grinding and polishing salt windows, 432(N)
Bausch & Lomb Optical Company
echelle spectrography, 544(N)
optical instruments for quality control, 66(N)
General Electric on photoelectric recorder, 220(N)
Nederlandsche Optiek- en Instrumentenfabriek, phase mi-
croscopy, 544(N)
Polaroid motion picture "Light Control through Polariza-
tion," 149(N)
Telephotometer
optical decade, 336(A85)
Telescopes
astronomical — and aspheric field correctors, 811(A2)
large range variable magnification, 1195
system of Cassegrainian type analyzed, 811(A4)/1200
Thermistor
infrared detectors, 15
Three-Dimensional Presentation
Doberly's color stereoscope for black and white diapositives,
820(A63)
with polarized light, 818(A49)
Transistor
germanium photo- —, 239
Transmission
aluminum films in visible, 327(A13)
infrared, 1153

of arsenic trisulfide glass, 322(A57), 822(A71), 1153
and different sulfide modifiers, 1153
cesium iodide, 822(A71)
selenium, 1153
thallium and cesium halide mixed crystals, 822(A72)
triaxial system of arsenic trisulfide, arsenic triselenide, and arsenic tritelluride, 823(A76)
oblique — factor of multilayer thin films, 539(L)
supersonic turbulent boundary layer, 817(A44)
Transmittance (see *Transmission*)
infrared
crystalline cadmium fluoride, 215(L)
of gold blacks and conductance and relaxation time of electrons, 1114
of skin measured by goniometric spectrometer, 334(A68)
ultraviolet
crystalline cadmium fluoride, 215(L)
Tronnier, A. W.
joined staff of Farrand Optical Company, 712(P)
Turner, W. E. S.
and glass industry, 65(B)

Ultraviolet
vacuum — radiation intensities measured with compensated thermocouple, 32
Unicam Double-Beam Infrared Spectrometer, 433(N)

Vatican Laboratory
issued *Richerche Spettrascopiche*, 322(N), 432(N)
Vision
accommodation measured by Purkinje images, 27, 925(L), 926(L)
acuity
disappearance of steadily fixated visual test objects, 495
and orientation of test object, 902
yellow night driving glasses, 331(A48), 815(A30)
scotopic — affected by varying spherical correction, 815(A29)
tinted optical media's effect at low luminance on, 331(A48), 815(A30)
adaptation
chromatic — and spectral sensitivity of fovea, 331(A49)/552
dark
early — and instantaneous threshold, 798
form perception, 560
intermittent preadaptation, 22
light sensitivity, 560
luminance thresholds for resolution of visual detail, 197
perception of color in 1° fields, 332(A51)/479
preceded by red adaptation, 815(A28)
red light effect on, 435, 541(L)
interaction of subliminal effects, 814(A25)
light
device for simulating visual displays of PPI scopes, 1143
effect on time required to detect target on PPI cathode-ray tube display, 1147
electrical responses, 450
perception of color in 1° fields, 332(A51)/479
rod and cone — and the luminosity curve, 330(A33)/733
aniseikonia
Howard-Dolman test of depth perception, 473
through the atmosphere, 431(B)
bibliography on visibility, 933(N)
brightness
apparent — of object and a peripheral glare source, 189
subjective — scale data, 815(A27)
Bril scale, 815(A27)
color
aptitude test, Intersociety Color Council, 431(N)
deficient
photopic thresholds for red light, 62(L)
perception
1° fields for different states of adaptation, 332(A51)/479
in small narrow test fields, 331(A50)/899
tritanomalous relation of — at small subtense, 812(A12)
tritanopia
determination of — confusion loci, 890
conspicuity of steady and flashing light signals, 567
depth perception
and aniseikonia, 473
Howard-Dolman test and aniseikonia, 473
detectivity of human eye, 814(A22)
electroretinogram and stray light, 442
fovea
central — and variations in spectral sensitivity, 814(A23)
effect of light on sclera on, 187
spectral sensitivity
and chromatic adaptation, 331(A49)/552
direct and indirect adapting stimuli, 814(A24)
neutral adaptation, 485
glasses for night driving, 331(A48)
half-meridional difference, 464
masking technique
isolation of retinal response to focused light, 814(A26)
mesopic luminosity curves predicted, 330(A33)/733
metacontrast, 648
night, 934(N)
tinted windshields and vehicle headlighting, 934(N)
night myopia
and accommodation, 27, 925(L), 926(L)
ocular tremor, 1136
ophthalmic optics, 541(B)
ophthalmology
Seventeenth International Congress, New York, September, 1954, 433(N), 1124(N)
perception
binocular space, 717
stereoscopic depth — from double images, 331(A47)/906
photoreceptors
response to focused light using masking technique, 814(A26)
photosensitization by white light, 815(A31)
quantum and noise limitations, 715
resolution
quantum and noise limitations, 715
retina
receptors isolated with ac method and polychromatic theory, 203
sensitivity estimated, 332(A52)
sensitivity
electrical — of eye and illumination, 203
stereoscopic localization with double images, 331(A47)/906
Stiles-Crawford effect, 924(L)
symposia
Illuminating Engineering Society and University of Michigan, Ann Arbor, June, 1953, 809(N)
(International Union of Pure and Applied Physics), Madrid, April, 1953, 68(N), 433(N)
Ohio State University, June, 1953, 937(N)
threshold
absolute and contrast
for line-shaped targets, 209
for moving point sources, 895
form — for 3° targets, 560
instantaneous — and early dark adaptation, 798

Vision (continued)
light — for 3° targets, 560
luminance — for resolution during dark adaptation, 197
visual — data forms, 456
visual meridians
half-meridional difference, 464
Voltage Detector
error, 1124(N)

Wavelength
measurement
echelle spectroscopy, 816(A*35*)/853
interferometric — in infrared by exact orders method, 213(L), 330(A*41*)(A*42*)/952
by reversible fringe counting, 505
semiautomatic recording of, 620(L)
standards
based on dispersion of standard air, 339
modulated white light interference fringes, 822(A*70*)
Wavenumber
measurement in infrared with Fabry-Perot interferometer, 1170
use in radiation formulae, 957
Webb, Julian H.
appointed Assistant Head, Physics Division, Research Laboratories, Eastman Kodak Company, 544(P)
Wright, Fred E.
necrology, 1228(O)

X-Rays
absorbing glass, 540(L)
absorption by tellurium, 817(A*43*)
diffraction spots and intensity, 1183
fluorescence spectrometer, 769
microscope, — scanning, 61(L)
reflection for examination of surfaces, 618(L)
spectral energy distribution as function of wavelength, 60(L)